METALIKA
Tehnika zatvaranja KACIN
Locking and latching systems

BURG
Bravice za vitrine

www.metalika-kacin.com
T/F 051/213 060 | hrvatska@metalika-kacin.com

METALIKA
Tehnika zatvaranja KACIN
51000 RIJEKA, Vukovarska 7b | T/F 051 213 060
M 091 58 70 744 | hrvatska@metalika-kacin.com

Bravice sa maticom

Bravice sa zasunom

Bravice za lokot

Bravice sa potisnim cilindrom

Bravice na brojčanicu

Bravice za vitrine

Bravice ugradne

Širok izbor bravica sa zasunom za metalne ormariće, metalna kućišta, vitrine,
metalni namještaj za upotrebu kod izrade strojne opreme, za upotrebu u industriji prerade lima.

BURG

Glass Cabinet Locks

H2A416



Technical data

Finish	nickel, chrome
Locking movements	90° SA (R), 90° SA (L), 90° SZ (R), 90° SZ (L), 180° SA
Cam type	Type A
Fixing	Nut
Key type	E
Master key	yes
Fixing	Nut
Article no.	4.00.E159.4
Material thickness	up to 10 mm
Key type	F
Master key	yes

Dimensions



Fixing hole



Fixing



Locking movements

SA: Key can be removed in locked or unlocked position. SZ: Key can only be removed in locked position.



90° SA (R) | 90° SA (L) | 90° SZ (R) | 90° SZ (L) | 180° SA

BURG F.W. Lüling KG • Hegestraße 6-16 • D-58300 Wetter (Germany) • Phone: +49-2335/6308-0 • Fax: +49-2335/6308-999 • info@burg.de • www.burg.de

Glass Cabinet Locks

V907

Technical data

Finish	nickel, black chrome, brass polished
Locking movements	90° SA (r)
Key type Master key	H yes
Key type Master key	I yes

Dimensions



assembling



Fixing hole



Locking movements

SA: Key can be removed in locked or unlocked position. SZ: Key can only be removed in locked position.

BURG F.W. Lüling KG
Hegestraße 6–16 • D-58300 Wetter (Germany)
Fon +49(0)23 35/63 08-0 • Fax +49(0)23 35/63 08-999 • info@burg.de • www.burg.de

E1004.022 + E1004.027 + E1004.E14

Technische Daten

Oberflächen	Nickel, Schwarzchrom, Messing poliert
Schließwege	90° SA (R), 90° SA (L)
Schlüsseltyp	H
Anzahl Schließungen	698
Hauptschlüssel	ja
Schlüsseltyp	I
Anzahl Schließungen	698
Hauptschlüssel	ja

Abmessungen



Hinweise

C=23 (Art.-Nr: 1004.022)
C=27 (Art.-Nr: 1004.027)

Stift mit Gewinde M4 auf Anfrage.(E 1004.E14 = M4)

Montagebild



Schließwege

SA: Schlüssel in offener und geschlossener Stellung abziehbar.□□SZ: Schließzwang, Schlüssel nur in geschlossener Stellung abziehbar.



90° SA (R)



90° SA (L)

Glass Cabinet Locks

V910

Technical data

Finish	nickel, black chrome, brass
Key type	H
Master key	yes
Key type	I
Possible key combinations	698
Master key	yes

assembling



Dimensions



cross sektion



Best.-Nr.: 0910.007 PN

Fixing hole



Glass Cabinet Locks

V911



Technical data

Finish	nickel, black chrome, brass
Locking movements	90° SA (R), 90° SA (L)
Key type Master key	H yes
Key type Master key	I yes

assembling



Dimensions



Locking movements

SA: Key can be removed in locked or unlocked position. SZ: Key can only be removed in locked position.



90° SA (R)



90° SA (L)

BURG F.W. Lüling KG • Hegestraße 6-16 • D-58300 Wetter (Germany) • Phone: +49-2335/6308-0 • Fax: +49-2335/6308-999 • info@burg.de • www.burg.de

Glass Cabinet Locks

V914

Technical data

Finish	nickel, black chrome, brass
Locking movements	90° SZ (r)
Key type	H
Master key	yes

assembling



Dimensions



cross sektion



Fixing hole



Locking movements

SA: Key can be removed in locked or unlocked position. SZ: Key can only be removed in locked position.

BURG F.W. Lüling KG • Hegestraße 6-16 • D-58300 Wetter (Germany) • Phone: +49-2335/6308-0 • Fax: +49-2335/6308-999 • info@burg.de • www.burg.de

Glass Cabinet Locks

V915

Technical data

Finish	nickel
Locking movements	90° SZ (r)
Key type	H
Master key	yes

assembling



Dimensions



Locking movements

SA: Key can be removed in locked or unlocked position. SZ: Key can only be removed in locked position.

BURG F.W. Lüling KG • Hegestraße 6-16 • D-58300 Wetter (Germany) • Phone: +49-2335/6308-0 • Fax: +49-2335/6308-999 • info@burg.de • www.burg.de

Glass Cabinet Locks

V916

Technical data

Finish	nickel, black chrome, brass polished
Key type	H
Master key	yes

assembling



Dimensions



Fixing hole



Glass Cabinet Locks

V917.201



Technical data

Finish	nickel, black chrome, brass
Key type	H
Master key	yes
Key type	I
Master key	yes

assembling



Dimensions



BURG F.W. Lüling KG • Hegestraße 6-16 • D-58300 Wetter (Germany) • Phone: +49-2335/6308-0 • Fax: +49-2335/6308-999 • info@burg.de • www.burg.de

Glass Cabinet Locks

V917.203

Technical data

Finish	nickel, black chrome, brass
Key type	H
Master key	yes
Key type	I
Master key	yes

assembling



Dimensions



METALIKA
Tehnika zatvaranja KACIN
51000 RIJEKA, Vukovarska 7b | T/F 051 213 060
M 091 58 70 744 | hrvatska@metalika-kacin.com

ZATVARAMO - OTVARAMO - NIVELIRAMO - POVEZUJEMO

Široki izbor okova i pribora za proizvodnju prekidnih i upravljačkih ormarića, kućišta za elektro opremu, elektroniku, telekomunikacijsku, tehnološku, klimatsku i drugu tehniku, za ugradnju kod izrade mašinske opreme i vozila.

Brave, zatvarači, sustavi zatvaranja

Šarke, klavirski šarniri, spone

Ručke, pribor, kopče

Brtveni gumeni profili

Plinski amortizeri


Transportni valjci i transportna oprema

Kotači - stabilni, okretni

Standardni elementi za pritezanje

Adapteri za punjenje plinskih medija

Plastični čepovi, vijci i elementi

Teleskopske kuglične vodilice

Preporučuje se ekipa Metalike Kacin.