Display Products Catalogue

Rapid Delivery of Point of Sale Components

METALIKA Locking systems KACIN
www.metalika-kacin.com

Product Showcase

Viking Screws
See page 3

Four-way Panel Former
See page 10



Slot-in Tray Bearers
See page 12

Twin Stick®
See page 17

Contents

METALIKA Locking systems KACIN
www.metalika-kacin.com

Point of Sale Construction
Nuts, Screws, Fasteners, Snaps, Clips, Rivets and Book Screws.
Pages 2-9



Panel Formers
Multi-Way, S-Shaped, Fixed Angle and Hinged.
Pages 10-11



Free Standing Display Unit Accessories
Shelf Bearers, Supports and Feet.
Pages 12-13



Merchandising Hooks
Single Prong, Double Prong, Stab-in and Slot-in Hooks.
Pages 14-15



Self-adhesive Products
Film Tape, Foam Tape, 3D Blocks, CD Fixers and Velcro®.
Pages 16-20



Print Display Solutions
Ceiling Clips, Magnetic Hooks, POP Rings, Wing Clips, Hooks, Suction Pads, Wobblers, POP Clips, Poster Holders, Panel Clamp, Bottle Ring, Cable Ties and Mobile Display Systems.
Pages 21-32



Tube Fittings and Adjustable Feet
Standard and Metal-Threaded Square, Round and Rectangular Inserts. Black and Chrome Adjustable Feet.
Pages 33-36



All dimensions shown in millimetres unless otherwise stated.

Hexagonal Nuts

Clear Polycarbonate

These clear plastic nuts provide excellent strength whilst blending into any display.
Supplied in packs of 1000.

Size	Height	Width (A/F)	Part Number
M5	4.2	8.0	0030031700VR
M6	5.0	10.0	0030041700VR
M8	6.5	13.0	0030051700VR

Also available from stock in ⊘ natural and ● black.



Knurled Nuts

Clear Polycarbonate

Knurled nuts are perfect for quick and ergonomic assembly of displays. Supplied in packs of 1000.

Size	Height	Diameter	Part Number
M5	6.0	16.0	0660031700VR
M6	6.0	16.0	0660041700VR
M8	8.0	20.0	0770081700VR

Also available from stock in ⊘ natural and ● black.



Wing Nuts

Natural Nylon 6.6

Wingspan 25mm, height 12mm.
Supplied in packs of 1000.

Size	Part Number
M5	0480530000VR
M6	0480540000VR
M8*	0500050000VR

*Wingspan 35mm, height 22mm.





Thumb Screws

Clear Polycarbonate

Ideal for use with our knurled nuts to provide a strong fastening that has minimal aesthetic impact on the display. Head diameter 16mm. Supplied in packs of 1000.

Size	Screw Length	Part Number
M5	15.0	0140321700VR
	25.0	0140341700VR
M6	16.0	0140451700VR
	25.0	0140481700VR
M8	16.0	0140681700VR
	25.0	0140701700VR
	35.0	0140721700VR

Also available from stock in ⊘ natural and ● black.



Slotted Mushroom Head Screws

Clear Polycarbonate

This clear plastic screw provides a low profile finish that can be assembled with a standard screwdriver. Supplied in packs of 1000.

Size	Screw Length	Part Number
M5	10.0	0170281700VR
	16.0	0170311700VR
	30.0	0170351700VR
M6	10.0	0170421700VR
	16.0	0170451700VR
	30.0	0170501700VR
M8	16.0	0170681700VR
	25.0	0170701700VR
	35.0	0170721700VR

Also available from stock in ⊘ natural and ● black.



Viking Screws

Clear Polycarbonate

Fast and easy push on panel fastener. Screw to tighten. Head diameter 12.5mm. Supplied in packs of 100.

Screw Length	Part Number
12.0	464972
20.0	464973
25.0	464974

Point of Sale Construction

Snap Fasteners

Natural Polyethylene

Ideal for corrugated displays. Supplied in packs of 1000 each of clips and washers.

30mm Head Diameter

Panel Thickness	Part Number White ○	Part Number Black ●
6.0-10.0	8502160908VR	8502160901VR
6.0-22.0	8502260908VR	8502260901VR
20.0-40.0	8502440908VR	8502440901VR
12.0-18.0	8501160908VR	8501160901VR
12.0-30.0	8501260908VR	8501260901VR
12.0-46.0	8501440908VR	8501440901VR

15mm Head Diameter

Panel Thickness	Part Number White ○	Part Number Black ●
0.0-8.0	8501150908VR	8501150901VR
0.0-16.0	8501220908VR	8501220901VR



Estate Agency Sign Fasteners

White Nylon 6

Ideal for fixing 'For Sale' sign boards. Supplied in packs of 50.

Post Fixing

Slotted Pan Head Screw

Size	Length	Part Number
M8	70.0	0120770008VR

Washer

Size	Part Number
25.0 x 8.4 x 2.0	1020220008CE

Washer Nuts

Size	Part Number
M8	464640



Board Fixing

Slotted Mushroom Head Screw

Size	Length	Part Number
M6	25.0	0170480008CC

Washer Nuts

Size	Part Number
M6	464638





Thumb Snaps

Natural LDPE

Ideal for rapid construction of display units. Fits 7mm hole. Supplied in packs of 100.

Grip Capacity	Part Number
3.0	469143
6.0	469144
10.0	469145
12.5	469146



NEW



POP Snaps

Natural LDPE

Ideal for rapid construction of display units. Fits 8mm hole. Supplied in packs of 100.

Grip Capacity	Part Number
3.0	469147
6.0	469148
10.0	469149
12.5	469150

NEW



Rivet Fastener with Hole

Natural LDPE

Central hole allows thread or string to pass through; ideal for hanging display materials. Supplied in packs of 500.

Grip Capacity	Part Number
5.0	469117



NEW

Point of Sale Construction

METALIKA Locking systems KAÇIN
www.metalika-kacin.com

Push Clips

White Nylon 6.6

Head diameter 10mm. Suitable for 6mm hole diameter. Supplied in packs of 1000.

Max Panel Thickness	Part Number White ○	Part Number Black ●
2.2	8201020008VR	8201020001VR
3.2	8201030008VR	8201030001VR
4.2	8201040008VR	8201040001VR
5.2	8201050008VR	8201050001VR



Arrow Clips

Natural Nylon 6.6

Supplied in packs of 1000.

Hole Diameter	Panel Thickness	Head Diameter	Part Number
3.0-3.4	1.6-3.2	6.9	460389
3.8-4.1	1.6-3.7	7.1	460391
4.1-4.2	0.8-3.2	7.1	460392
4.6-4.9	1.6-3.2	9.1	460393
4.6-4.9	4.2-4.7	9.5	460394
4.6-4.9	7.9-8.4	9.4	460395
5.4-5.7	1.6-3.2	9.4	460396
5.4-5.7	3.2-4.8	9.4	460397
6.4-6.6	3.2-6.4	12.7	460398
6.4-6.6	9.1-9.7	15.6	460399
8.4-8.6	3.2-8.9	17.5	460400
8.5-8.8	1.6-3.6	22.0	460401



Barbed Push Fasteners

Nylon 6.6

Ideal for threaded, non-threaded, drilled or punched holes. Low profile head.
Supplied in packs of 1000.

Hole Diameter	Panel Thickness	Head Diameter	Natural ⊘ Part Number
5.0	1.2-6.0	16.0	468838
6.0	2.5-8.0	16.0	468841
6.0	2.5-12.0	17.8	468845
7.0	0.7-20.0	20.0	468851

Hole Diameter	Panel Thickness	Head Diameter	Black ● Part Number
5.0	1.2-6.0	16.0	468814
6.0	2.5-8.0	16.0	468817
6.0	2.5-12.0	17.8	468821
7.0	0.7-20.0	20.0	468827

Other sizes are available please call for details.





Push Rivets

Natural Nylon

Fast, economical, permanent. Rivet expands for secure tight fit. Supplied in packs of 250.

Hole Diameter	Panel Thickness	Height	Part Number
3.0	1.0-4.0	5.7	093011000002
3.5	1.0-5.0	6.8	093012000002
4.0	1.5-6.0	7.9	093013000002
4.0	4.0-6.5	8.0	093000500002
4.1	0.6-4.5	6.0	093002200002
4.8	4.0-8.7	11.0	093000800002
5.0	1.5-7.0	9.2	093014000002
6.0	2.0-8.0	10.5	093015000002
6.4	4.0-9.5	12.0	093002600002
7.0	2.5-9.0	11.8	093016000002
7.1	4.0-12.0	17.5	093001800002
8.0	3.0-10.0	13.0	093017000002

Other sizes are available please call for details.



Ratchet Rivets

Clear Polycarbonate

Firm fastening for a range of panel thicknesses. Supplied in packs of 1000 pairs.

12mm Head with slot

Panel Thickness	Shaft Diameter	Clip Length	Part Number
5.3-7.5	5.0	5.5	8100671700VR
9.0-13.0	5.0	9.0	8100681700VR
13.0-20.0	5.0	13.0	8100691700VR
18.0-28.0	5.0	18.0	8100661700VR
20.0-34.0	5.0	20.0	8100701700VR
13.0-20.0	7.0	13.0	8100711700VR

20mm Rounded Head with slot

Panel Thickness	Shaft Diameter	Clip Length	Part Number
8.7-11.5	9.7	8.5	8170821700VR
18.0-25.0	9.7	16.0	8170841700VR



Screw Rivets

Nylon 6.6

Removable fast and strong connection. Easy and re-usable fastening. Apply with hammer – remove with crosshead screwdriver. Supplied in packs of 250.

Hole Diameter	Panel Thickness	Head Diameter	Black ● Part Number
5.0	2-7	12.5	113105059902
6.0	2-8	15.0	113106059902
7.0	3-9	17.5	113107059902
8.0	3-10	20.0	113108059902

Hole Diameter	Panel Thickness	Head Diameter	Natural ⊘ Part Number
5.0	2-7	12.5	113105000002
6.0	2-8	15.0	113106000002
7.0	3-9	17.5	113107000002
8.0	3-10	20.0	113108000002



Round Head Snap Rivets

Black or White Nylon

Snap rivets press neatly into position using thumb pressure. Supplied in packs of 1000.

Hole Diameter	Panel Thickness	Part Number Black ●	Part Number White ○
2.1	0.6-1.2	463202	463215
2.1	1.3-2.0	463203	463216
2.1	2.1-2.8	463204	463217
2.1	2.9-3.6	463205	463218
2.7	1.0-2.0	32505	39143
2.7	2.1-3.0	32506	39144
2.7	2.7-3.6	463206	463219
2.7	3.4-4.3	32507	39145
3.1	1.0-2.0	32508	39103
3.1	2.0-3.0	32509	39125
3.1	3.0-4.0	32510	39126
3.1	4.0-5.0	32511	34024
3.1	5.0-6.0	463207	463220
3.1	5.5-6.5	32512	39147
3.1	6.5-7.5	463208	463221
3.1	7.5-8.5	463209	463222
3.6	1.2-2.1	463210	463223
3.6	2.2-3.1	32513	39148
3.6	2.7-3.6	463211	463224
3.6	3.2-4.1	32514	39150
3.6	3.7-4.6	463212	463225
3.6	4.5-5.5	32515	31644
3.6	5.7-6.6	463213	463226
4.1	2.5-3.5	32516	39151
4.1	3.5-4.5	32517	39158
4.1	4.5-5.5	32518	32704
4.1	5.5-6.5	32519	39152
4.1	7.5-8.5	32520	34718
5.1	1.5-2.5	32521	39153
5.1	2.5-3.5	32522	39154
5.1	3.5-4.5	32523	39155
5.1	4.5-5.5	32524	32707
5.1	5.5-6.5	32525	39156
5.1	6.5-7.5	32526	39157
5.1	7.5-8.5	32527	31741
6.1	2.5-4.0	32528	36422
6.1	4.0-5.5	463214	463227





Countersunk Head Snap Rivets

Black Nylon ●

Ideal for flush fit. Supplied in packs of 1000.

Hole Diameter	Panel Thickness	Head Diameter	Part Number
3.1	1.0-2.0	6.4	39135
3.1	2.0-3.0	6.4	39136
3.1	3.0-4.0	6.4	39137
3.1	4.0-5.0	6.0	39138
3.1	5.0-6.5	6.0	39139
3.6	2.0-3.0	6.4	39140
3.6	3.0-4.0	6.0	39141
3.6	4.5-5.0	6.0	39142





Binder Screws
HDPE

M4 thread. 5mm hole minimum hole diameter. Head diameter 12mm. Head thickness 2.6mm. Supplied in packs of 1000 each of male and female parts.

Female Screw-in Length	Male Screw Length	Part Number White ○	Part Number Black ●
5.0	5.0	0191010908VR	0191010901VR
8.0	5.0	0191040908VR	0191040901VR
10.0	5.0	0191050908VR	0191050901VR
15.0	10.0	0191070908VR	0191070901VR
20.0	10.0	0191080908VR	0191080901VR
25.0	10.0	0191090908VR	0191090901VR
30.0	10.0	0191100908VR	0191100901VR
35.0	10.0	0191110908VR	0191110901VR
40.0	10.0	0191120908VR	0191120901VR
50.0	10.0	0191140908VR	0191140901VR

Other sizes are available please call for details.



Book Screws White Nylon ○
Supplied in packs of 500.

Binding Capacity	Hole Diameter	Part Number Male	Part Number Female
10.0	6.0	082041011301	081041011301
15.0	6.0	082041011301	081041511301
20.0	6.0	082041011301	081042011301
25.0	6.0	082041011301	081042511301
30.0	6.0	082041011301	081043011301
10.0	7.0	082051011301	081051011301
15.0	7.0	082051511301	081051011301
20.0	7.0	082052011301	081051011301
25.0	7.0	082052611301	081051011301
30.0	7.0	082053011301	081051011301
40.0	7.0	082054011301	081051011301
25.0	8.0	082062550001	081061650001
30.0	8.0	082063050001	081061650001
36.0	8.0	082063650001	081061650001
39.0	8.0	082063950001	081061650001
48.0	8.0	082064850001	081061650001



Book Screws Black Nylon ●
Supplied in packs of 500.

Binding Capacity	Hole Diameter	Part Number Male	Part Number Female
10.0	6.0	082041011401	081041011401
15.0	6.0	082041011401	081041511401
20.0	6.0	082041011401	081042011401
25.0	6.0	082041011401	081042511401
30.0	6.0	082041011401	081043011401
10.0	7.0	082051011401	081051011401
15.0	7.0	082051511401	081051011401
20.0	7.0	082052011401	081051011401
25.0	7.0	082052611401	081051011401
30.0	7.0	082053011401	081051011401
40.0	7.0	082054011401	081051011401
25.0	8.0	082062559901	081061659901
30.0	8.0	082063059901	081061659901
36.0	8.0	082063659901	081061659901
39.0	8.0	082063959901	081061659901
48.0	8.0	082064859901	081061659901

Items suitable for 8mm hole diameter have exposed thread when assembled. Other sizes are available please call for details.

Panel Formers

Panel Formers
Co-extruded PVC

Ideal for constructing three-dimensional displays.

Four-way Panel Former

Accepts material up to 2.5mm thick.
Supplied in packs of 50.

Length	Part Number
25	469111



S-panel Former

Accepts material up to 2.5mm thick.
Supplied in packs of 100.

Length	Part Number
25	469112





90° Panel Former

Accepts material up to 2.5mm thick.
Supplied in packs of 100.

Length	Part Number
25	469113



180° Panel Former

Accepts material up to 2.5mm thick.
Supplied in packs of 200.

Length	Part Number
25	469114





Three-way Panel Former

Accepts material up to 2.5mm thick.
Supplied in packs of 100.

Length	Part Number
25	469140



60° Two-way Panel Former

Accepts material up to 2.5mm thick.
Supplied in packs of 100.

Length	Part Number
25	469141





Hinged Panel Former

Accepts material up to 4mm thick.
Supplied in packs of 50.

Length	Part Number
50	469142



Free Standing Display Unit Accessories

METALIKA Locking systems KACIN
www.metalika-kacin.com

NEW

Slot-in Tray Bearer
White Plastic

Pack Quantity	Part Number
100	469071



NEW

Full Width Shelf Support Beam (500mm long)
Dark Brown Plastic

Pack Quantity	Part Number
100	469073





FSDU Foot – Type 1 (Self-adhesive)

Natural Plastic

Pack Quantity	Part Number
50	469074





FSDU Foot – Type 2 (Slot-on)

Natural Plastic

Pack Quantity	Part Number
100	469075

Adjustable Levelling Feet

In addition to our wide range of display products we also have extensive ranges of adjustable levelling feet and threaded inserts ideal for the construction of larger displays.

Merchandising Hooks

METALIKA Locking systems KACIN
www.metalika-kacin.com

Merchandising Hooks

Natural Nylon or ABS

Ideal for temporary and cardboard displays.



1. Single Prong for Peg Hole

Length	Pack Qty	Part Number
102	50	469102
151	25	469103
202	25	469104



2. Double Prong for Peg Hole

Length	Pack Qty	Part Number
102	20	464809
155	10	464810
207	25	464811



3. Single Prong Stab-in

Length	Part Number Natural ⊘	Part Number Black ●
63	464815*	469076*
88	464816	469077
102	464817	469078
140	464818	469079
164	464819	469080
215	464820	469081

Pack quantity 25 or *50.



4. Double Prong Stab-in

Length	Part Number Natural ⊘	Part Number Black ●
102	469082*	469084*
155	469083*	469085*
204	469086	-

Pack quantity 25 or *50.



5. Single Prong for Cardboard Slot

Length	Pack Qty	Part Number
65	100	469090
100	50	469091
119	25	469092
140	25	469093
197	25	469094



6. Flat Prong for Cardboard Slot

Length	Pack Qty	Part Number
54	100	469087
98	50	469088
113	25	469089



7. Fold-up Hook for Cardboard Slot – Natural Colour Type 1

Length	Pack Qty	Part Number
98	50	469100





8. Fold-up Hook for Cardboard Slot – Natural Colour Type 2

Length	Pack Qty	Part Number
98	50	469101





9. Single Prong for Top-edge Slot – Natural Colour

Length	Pack Qty	Part Number
98	50	469095
183	25	469096



10. Label Fronted for Cardboard Slot – Natural Colour

Length	Pack Qty	Part Number
88	20	469097
152	12	469098
203	20	469099

11. Stop Limiters for Single Prong Hooks – Natural Colour

Diameter	Pack Qty	Part Number
26	2000	469106
56	2000	469107





Hanging Hook

Natural Polypropylene

Intricate design allows easy fixing.
Supplied in packs of 2000.

Size	Part Number
49 x 26	110787

METALIKA Locking systems KACIN
www.metalika-kacin.com



NEW

DK Film™

0.5mm Polyester Film

Film tape with permanent rubber-based adhesive on both sides is ideal for smooth, low profile bonding applications. This high tack tape is used for assembling corrugated boxes, displays, low-profile graphics, and signs in the Point of Sale Industry. Silicone coated paper release liner. One 60m roll per pack.

Width	Part Number
9.6	471707
12.7	471710
19.2	471712
25.4	471713



NEW

Dubl Kote®

Polyolefin Foam

Double sided foam tape is ideal for assembly of Point of Sale displays and for mounting plastic extruded price channels. Aggressive permanent rubber-based adhesive is suitable for joining corrugated, chipboard, wood, plastics and powder coated materials. Available in White or Black. Supplied on one continuous roll of 66m per pack.

0.8mm Thickness

Width	Part Number White ○	Part Number Black ●
6.4	471355	-
9.6	471346	471397
12.7	471339	471394
19.2	471340	471395
25.4	471341	471399

1.6mm Thickness

Width	Part Number White ○	Part Number Black ●
12.7	471342	471396
19.2	471343	-
25.4	471344	-

3.2mm Thickness

Width	Part Number White ○	Part Number Black ●
12.7	471357*	-
19.2	471345*	-
25.4	471353*	-

*33m per pack.



NEW



Twin Stick®

Polyolefin Foam

Double sided foam tape pieces are ideal for assembly of temporary and semi-permanent Point of Sale displays, mounting wobblers, and hanging signs. Aggressive permanent rubber based adhesive sticks well to many surfaces including corrugated, chipboard, wood, plastics, and powder coated materials. Die-cut pieces supplied on a roll for easy application. One roll per pack.

NEW

0.8mm Thickness

Piece Size	Pieces per Roll	Part Number
12.7 x 25.4	10000	470000
12.7 x 50.8	10000	470001
12.7 x 76.2	5000	470002
19.2 x 76.2	5000	470005
25.4 x 25.4	10000	470006
25.4 x 50.8	6300	470007
25.4 x 76.2	4000	470008
25.4 x 101.6	2500	470029



1.6mm Thickness

Piece Size	Pieces per Roll	Part Number
19.2 x 76.2	2500	470015
25.4 x 25.4	10000	470016
25.4 x 50.8	5000	470017
25.4 x 76.2	5000	470018
25.4 x 101.6	2500	470019

3.2mm Thickness

Piece Size	Pieces per Roll	Part Number
25.4 x 25.4	12000	470042
25.4 x 50.8	2700	470023
25.4 x 76.2	2000	470024
25.4 x 101.6	2000	470025

6.4mm Thickness

Piece Size	Pieces per Roll	Part Number
25.4 x 25.4	5000	470026
25.4 x 76.2	1000	470033

NEW



Dimensional Twin Stick®

Polyolefin Foam Blocks

Draw attention with dimension. Great for making displays stand out with a 3-D effect. High tack, permanent rubber based adhesive on both sides provides a quick and easy way to create dimension. Can also be used for extreme gap filling. Supplied in a carton unless otherwise stated. Squares 25.4 x 25.4. Supplied 2500 per pack or 3000 on a roll.

Thickness	Part Number White ○	Part Number Black ●
19.1	470037	-
12.7	470030*	470515*
25.4	470035	470519

*Supplied on a roll

NEW

METALIKA Locking systems KACIN
www.metalika-kacin.com

NEW

Remo One® Pieces

White Polyolefin Foam

Double sided foam tape is ideal for single use graphics. Permanent rubber-based adhesive on one side, removable rubber-based adhesive on the other. The removable side allows for temporary application of graphics to signs and displays and will remove cleanly for most non-delaminating surfaces. Supplied in die-cut pieces on a roll for easy application. One roll per pack.

0.8mm Thickness

Piece Size	Pieces per Roll	Part Number
25.4 x 25.4	6000	470754
25.4 x 50.8	6000	470748
25.4 x 76.2	2500	470755

1.6mm Thickness

Piece Size	Pieces per Roll	Part Number
25.4 x 25.4	5000	470749
25.4 x 50.8	5000	470750
25.4 x 76.2	2500	470751
25.4 x 101.6	2000	470756

3.2mm Thickness

Piece Size	Pieces per Roll	Part Number
25.4 x 76.2	2000	470753





NEW

Remo One® Tape

Permanent rubber based adhesive on one side, removable rubber based adhesive on the other. Ideal for promotional and temporary signs or price channels. Supplied on a continuous roll of 66m. One roll per pack.

0.8mm Thickness

Width	Part Number
12.7	471435
25.4	471436

1.6mm Thickness

Piece Size	Part Number
12.7	471437
25.4	471438





NEW

Remo Two®

Double sided removable foam tape is designed for temporary or single use graphics, consumer packaging, or signs that are re-used. Removes cleanly from most non-delaminating surfaces even after an extended period of time. Supplied in die-cut pieces on a roll. One roll per pack.

0.8mm Thickness

Piece Size	Pieces per Roll	Part Number
25.4 x 76.2	2500	471041



High Bond Foam Tape

Acrylic Adhesive

Double sided strong bonding tape can replace mechanical fasteners. Works well with powder coats, metals, and low surface energy plastics. For best performance, clean surface with a 50/50 mix of isopropanol and water before applying tape. Supplied on a roll of 25m. One roll per pack.

Acrylic Foam Tape – 1.1mm thickness

Width	Part Number
10	466664
12	466665
19	466666
24	466667





High Bond Film Tape

Clear Acrylic Adhesive

Double sided strong bonding tape can replace mechanical fasteners. The clear tape allows for 'invisible' assembly for glass or clear acrylic applications. Also works well with powder coats, metals, and low surface energy plastics. For best performance, clean surface with a 50/50 mix of isopropanol and water before applying tape. Supplied on a roll of 25m. One roll per pack.

Acrylic Film Tape – 1.0mm thickness

Width	Part Number
10	466668
12	466669
19	466670
24	466671



CD Fixers

CD Hubs – Polyolefin Foam

Foam diameters with permanent adhesive. For quick assembly when attaching CDs and DVDs to promotional or educational materials. 1,000 pieces on a roll.

Thickness	Part Number White ○	Part Number Black ●
3.2	471835	471833



CD Fixers

CD Spider – ABS

Part Number Clear ⊘	Part Number White ○	Part Number Black ●
469068	469069	469070

VELCRO® brand Hook and Loop Fastener

Great for positioning poster boards amongst many other applications. Strong adhesive backing. Width 20mm. Supplied on 5m rolls.

Type	Part Number White ○	Part Number Black ●
Hook	464853	464822
Loop	464854	464823

VELCRO® and VELCOIN® are registered trademarks of Velcro Industrial B.V.





VELCOIN® brand Hook and Loop Fasteners

Adhesive backing. Supplied on 5m rolls.

13mm Coins (approx. 300 per roll)

Type	Part Number White ○	Part Number Black ●
Hook	464824	464826
Loop	464825	464827

22mm Coins (approx. 200 per roll)

Type	Part Number White ○	Part Number Black ●
Hook	464828	464830
Loop	464829	464831



Tube Fittings

In addition to our wide range of display products we also have extensive ranges of tube end inserts and tube connectors ideal for the construction of larger displays.





Ceiling Clip – Type 1

White Polypropylene

Strong self-adhesive backing attaches to most clean surfaces. Supplied in packs of 100.

Size	Part Number
20 x 20	464704



Ceiling Clip – Type 2

White Polypropylene

Strong self-adhesive backing attaches to most clean surfaces. Supplied in packs of 100.

Size	Part Number
37 x 27	464705



Ceiling Clip – Type 3

White Polypropylene

Strong self-adhesive backing attaches to most clean surfaces. Supplied in packs of 100.

Size	Part Number
25 x 25	464706



Ceiling Clip – Type 4

White Polypropylene

Clip-on design. Supplied in packs of 100.

Size	Part Number
25 x 15	464707

METALIKA Locking systems KACIN
www.metalika-kacin.com

Square Magnetic Hooks

White Polypropylene with Magnet

Strong magnetic attachment.
Supplied in packs of 100.

Size	Part Number
14 x 14	464713



Rectangular Magnetic Hooks

White Polypropylene with Magnet

Strong magnetic attachment.
Supplied in packs of 50.

Size	Part Number
35 x 13	464714



Round POP Rings

White PVC

Ideal for hanging multiple display boards together. Supplied in packs of 200.

Diameter	Part Number
15	464708



Oval POP Rings

White PVC

Supplied in packs of 500.

Size	Part Number
30 x 11	464709





Metal Binding Rings

Plated Steel

Round metal binding rings.
Supplied in packs of 100.

Diameter	Part Number
14	468069
20	464710
25	464711
38	464712
50	468070



Power Wing Clips – Type 1

White Polypropylene

For hanging lightweight or cardboard displays.
Supplied in packs of 50.

Size	Part Number
54 x 31	469108

NEW



Power Wing Clips – Type 2

White Polypropylene

For hanging lightweight or cardboard displays.
Supplied in packs of 100.

Size	Part Number
45 x 25	469109

NEW



Power Wing Clips – Type 3

Galvanized Steel

For hanging lightweight or cardboard displays.
Supplied in packs of 100.

Size	Part Number
44 x 25	469110

NEW

Metal Hanging Hooks – Type 1

Galvanised Steel

For use with ceiling clips and magnetic hooks. Supplied in packs of 1000.

Length	Part Number
40	464832
80	464833



Metal Hanging Hooks – Type 2

Galvanised Steel

For use with ceiling clips and magnetic hooks. Supplied in packs of 1000.

Length	Part Number
36	464834
77	464835



Metal Hanging Hooks – Type 3

Galvanised Steel

For use with ceiling clips and magnetic hooks. Extendable wire allows posters to be hung at custom heights. Supplied in packs of 50.

Length	Part Number
160-1300	464836
210-1400	464837
320-2500	464838

Metal Hanging Hooks – Type 4

Galvanised Steel

For use with ceiling clips and magnetic hooks.

Length	Pack Qty	Part Number
100	1000	464839
150	1000	464840
200	1000	464841
250	1000	464842
300	1000	464843
400	1000	464844
500	1000	464845
600	500	464846
700	500	464847
800	500	464848
900	500	464849
1000	500	464850





Metal Hanging Hooks – Type 5

Galvanised Steel

For use with ceiling clips, magnetic hooks and hang strips. Supplied in packs of 1000.

Length	Part Number
38	464851
48	464852



Wire Hanging Hooks

Wire: Natural Nylon, Hook: Galvanised Steel

Hook with nylon wire, extendable up to 1200mm. Supplied in packs of 100.

Length	Part Number
94	464821

Suction Pads – Type 1

Clear PVC

Diameter	Hole Dia.	Pack Qty	Part Number
22	2.8	3000	464781
25	3.5	2000	464784
30	4.7	1500	464785
35	4.7	1000	464788
40	5.0	800	464791
45	5.0	500	464796
50	5.4	350	464799
55	6.5	250	464802



Suction Pads – Type 2

Clear PVC

Diameter	Pack Qty	Part Number
19	3000	464780
22	3500	464782
30	1500	464786
35	1000	464789
40	800	464792
40	1250	10115
45	500	464797
50	350	464800
55	250	464803
63	150	464805



Suction Pads – Type 3

Clear PVC

Diameter	Pack Qty	Part Number
22	2000	464783
30	1000	464787
35	700	464790
40	500	464793
42	500	464794
45	400	464798
50	300	464801
55	250	464804
63	200	464806





Suction Pads – Type 4

Clear PVC

Diameter	Pack Qty	Part Number
42	500	464795



Suction Pads – Type 5

Clear PVC

Diameter	Pack Qty	Part Number
20	2000	464807
30	1000	464808



Suction Pads – Type 6

Clear PVC

Diameter	Pack Qty	Part Number
25	5000	51519



Suction Pads – Type 7

Clear PVC

Diameter	Pack Qty	Part Number
46	1500	10153

METALIKA Locking systems KACIN
www.metalika-kacin.com

Wobblers and Spacers – Type 1

Transparent PVC

Peel off self-adhesive tabs at each end for attaching promotional material to shelf edge. Width 14mm. Pack of 100. Supplied on a roll.

Length	Part Number
152	464722



Wobblers and Spacers – Type 2

Aluminium

Peel off self-adhesive tabs at each end for attaching promotional material to shelf edge. Width 20mm.

Length	Pack Qty	Part Number
75	100	464723
150	50	464724

Wobblers and Spacers – Type 3

Natural PP with metal spring

Peel off self-adhesive tabs at each end for attaching promotional material to shelf edge. Width 20mm. Pack of 100.

Length	Part Number
32	464725



Wobblers and Spacers – Type 4

Natural PP

Self-adhesive pad on both sides. Width 14mm. Pack of 100.

Length	Part Number
26	464726





POP Clips – Type 1

Clear Acrylic

Large clip with medium clip holder. Pack of 120.

Part Number
464729



'No rod' version

POP Clips – Type 2

Clear Acrylic

Large clip with large hinged card holder.

Rod Length	Pack Qty	Part Number
50	80	464730
No rod	100	464731



POP Clips – Type 3

Clear Acrylic

Large clip with small card holder. Pack of 60.

Rod Length	Part Number
100	464732



POP Clips – Type 4

Clear Acrylic

Small clip with clip card holder. Pack of 120.

Rod Length	Part Number
50	464733

METALIKA Locking systems KAÇIN
www.metalika-kacin.com

Display Holders
Clear Acrylic

Available with both adhesive and non-adhesive base. Length 70mm, height 25mm.
Supplied in packs of 500.

Width	Type	Part Number
23	Adhesive	464734
23	Non-adhesive	464735
33	Adhesive	464736
33	Non-adhesive	464737





Display Grips
Clear PVC

With self-adhesive base for displaying signs or posters. 25mm length supplied in packs of 100. 75mm length supplied in packs of 50.

Length	Width	Part Number
25	12	464716
75	12	464717
25	25	464718
75	25	464719



Poster Holders
Aluminium

One part consists of top and bottom. Top part has two moveable hooks. Bottom part provides weight to keep posters hanging straight.
Supplied in packs of 5.

To Suit Size	Part Number
A4	464738
A3	464739
A2	464740
A1	464741



Coupons Holders
Natural Polypropylene

For displaying coupon booklets. With shelf grip to attach to ticket rails. Length 120mm.

Capacity	Pack Qty	Part Number
8	25	464765
18	20	464766





Fuel Hose POS Holders

Black LDPE with Black Nylon Fasteners

Clamp adverts to standard petrol station fuel hoses. Clamps supplied in packs of 800. Screws supplied in packs of 500.

Fuel Hose Outer Dia.	Part No. Clamp	Part Number Male Screw	Part Number Female Screw
23-25	12092	082062559901	081161659901
26-28	12882	082063059901	081161659901
29-33	12883	082063059901	081161659901





Panel Clamps

ABS

For displaying glass panels/frames. Panel thickness 6-10mm. Applied using an M4 screw (not supplied). Supplied in packs of 50.

Cylinder Colour	Diameter	Part Number
Black ●	17	165001011419
Natural ⊘	17	165001016419
Grey ●	17	165001033819

Head Colour	Diameter	Part Number
Black ●	17	165002011419
Natural ⊘	17	165002016419
Grey ●	17	165002033819



Bottle Rings

Natural Polypropylene

Supplied in packs of 100.

Diameter	Part Number
40	464715

Cable Ties

Natural Nylon

Ideal for hanging signs from many different shaped objects. Supplied in packs of 100.

Length	Width	Part Number
100	2.5	460177
203	2.5	460181
150	3.6	460184
250	3.6	460187
292	3.6	460189
250	4.8	460197
450	4.8	460204

Many other sizes and colours available.
Please call for details.



Ball Cable Ties

Nylon 6.6

Design allows ties to be easily applied and released. Tie design prevents slipping. Supplied in packs of 100.

Length	Part Number Natural ⊘	Part Number Black ●
100	462677	462683
120	462678	462684
150	462679	462685
180	462680	462686
280	462681	462687
226	462682	462688



Mobile Display Systems – Type 1

Natural Polypropylene

Supplied as a two-piece set with ceiling clip and extendable wire hanging hook.
Hole diameter 5mm.

Distance Between Holes	Poster Width	Part Number
160	240-400	464767
317	400-750	464768



Mobile Display Systems – Type 2

Natural Polypropylene

Supplied as a two-piece set with ceiling clip and extendable wire hanging hook.
Hole diameter 5mm.

Distance Between Holes	Poster Width	Part Number
160	240-400	464769



METALIKA Locking systems KACIN
www.metalika-kacin.com

Square Inserts

Our inserts can be fitted into tubular metal to give a neat, attractive finish. They are ideal for covering sharp tube edges and can be fitted easily and securely into a variety of gauges. Ribbed inserts provide a secure easily assembled fitting.

Supplied with eroded head unless specified.

Square

Part Number Black ●	Part Number White ○	Part Number Mid Grey ◐	Part Number Dark Grey ◐	Tube Size (mm)	Wall Thickness (mm)	Pack Qty
111212	–	–	–	13 x 13	0.8 - 2.0	2500
111539	111615	111691	111767	15 x 15	0.8 - 2.0	2000
111213	111231*	111267*	111303*	16 x 16	0.8 - 2.5	2500
111286	111232*	111286	111322	19 x 19	0.8 - 2.5	2500
111215	111233*	111287	111323	20 x 20	0.8 - 2.5	2500
111216	–	111288	111324	22 x 22	0.8 - 2.5	2500
111217	111235*	111289	111325	25 x 25	1.0 - 2.5	2500
111219	111237*	111291	111327	30 x 30	1.0 - 3.0	2000
111540	111616	111692	111768	32 x 32	1.0 - 3.0	1500
111220	111238*	–	–	35 x 35	1.0 - 3.0	1500
111541	111617	111693	111769	38 x 38	1.0 - 3.0	1000
111221	111239*	111293	111329	40 x 40	1.0 - 3.0	500
111222	–	111276*	111321*	45 x 45	1.0 - 3.0	500
111223	–	111295	111331	50 x 50	1.0 - 3.0	500
111225	111243*	111814*	111816*	60 x 60	1.0 - 3.0	250

* Polished Head

Round

Part Number Black ●	Part Number White ○	Part Number Mid Grey ◐	Part Number Dark Grey ◐	Tube Diameter (mm)	Wall Thickness (mm)	Pack Qty
111527	111603	111679	111755	10	0.8 - 2.0	2500
111528	111604	111680	111756	12	0.8 - 2.0	2500
111054	–	–	–	13	0.8 - 2.0	2500
465610	–	–	–	15	0.8 - 2.0	2500
111055	–	111115*	111155*	16	0.8 - 2.0	5000
111529	–	111681	111757	18	0.8 - 2.0	1500
111056	–	111116*	111156*	19	0.8 - 2.0	1500
111057	111077*	111137	111177	20	0.8 - 2.0	1500
111058	111078*	111138	111178	22	0.8 - 2.0	1500
111059	111079*	111119*	111159*	25	1.0 - 3.0	1000
111063	111083*	111123*	111163*	30	1.0 - 3.0	1000
111064	111084*	111144	111184	32	1.0 - 3.0	1000
111530	111606	111682	111758	35	1.0 - 3.0	1500
111067	111107	111147	111187	40	1.0 - 3.0	1000
111534	111610	111686	111762	45	1.0 - 3.0	1000
111068	111108	111128*	111188	50	1.0 - 3.0	500
111070	–	111130*	–	60	1.0 - 3.0	400

* Polished Head

Rectangular

Part Number Black ●	Part Number White ○	Part Number Mid Grey ◐	Part Number Dark Grey ◐	Tube Size (mm)	Wall Thickness (mm)	Pack Qty
111357	111374*	111408*	111442*	30 x 15	1.0 - 3.0	1000
111361	111378*	111429	111463	40 x 20	1.0 - 3.0	1000
111549	111625	111432	111466	40 x 25	1.0 - 3.0	1500
111362	–	–	–	40 x 30	1.0 - 3.0	1000
111364	–	–	–	50 x 25	1.0 - 3.0	1000
111366	111383*	–	–	50 x 30	1.0 - 3.0	1000
111367	111401	–	–	60 x 30	2.0 - 4.0	500
111368	–	–	–	60 x 40	2.0 - 4.0	500

* Polished Head

Metal-Threaded Inserts

HDPE with Steel Nut

Heavy-duty insert. Ideal for use with adjustable feet, tilt glides and castors. Mild steel thread provides strong fixing. Metal thread allows smooth repeatable adjustment. Wall thickness of 1.0 - 2.0mm. Head thickness of 5mm. Insert depth of 20mm.







Round

Part Number	Tube Diameter (mm)	Thread Size	Pack Qty
466242	19	M6	1000
466243	20	M6	1000
466244	20	M8	1000
466245	25	M6	1000
466246	25	M8	1000
466247	30	M8	1000
466248	30	M10	1000
466249	32	M8	1000
466250	32	M10	1000
466251	35	M8	500
466252	35	M10	500
466253	38	M8	500
466254	38	M10	500
466255	38	M12	500
466256	40	M8	250
466257	40	M10	250
466258	40	M12	500
466262	50	M8	500
466263	50	M10	250
466264	50	M12	500
466265	60	M8	500
466266	60	M10	250
466267	60	M12	500

Square

Part Number	Tube Size (mm)	Thread Size	Pack Qty
466268	19	M6	1000
466269	20	M6	1000
466270	20	M8	1000
466271	25	M6	1000
466272	25	M8	1000
466273	30	M8	1000
466274	30	M10	1000
466275	35	M8	500
466276	35	M10	500
466277	40	M8	500
466278	40	M10	500
466279	40	M12	500
466280	50	M8	250
466281	50	M10	250
466282	50	M12	250

Rectangular

Part Number	Tube Size (mm)	Thread (mm)	Pack Qty
466283	30 x 20	M8	1000
466284	30 x 20	M10	1000
466285	40 x 20	M8	500
466286	40 x 20	M10	500
466287	40 x 30	M8	500
466288	40 x 30	M10	500
466289	50 x 25	M8	500
466290	50 x 25	M10	500
466291	30 x 30	M8	500
466292	50 x 30	M10	500
466293	60 x 30	M8	250
466294	60 x 30	M10	250

Adjustable Feet

Black Polypropylene

Outer-hex slotted head for adjustment. POZI socket in base for rapid assembly. Articulating feet allow for adjustment under load with base remaining stationary.



25mm Diameter Foot

Part Number Articulating	Part Number Non-Articulating	Stud Size	Pack Qty
466167	466121	M8 x 25	500
466168	466122	M8 x 40	350
466169	466123	M8 x 55	250
466170	466124	M8 x 70	200
466171	466125	M8 x 100	150
466212	466126	M6 x 20	500

30mm Diameter Foot

Part Number Articulating	Part Number Non-Articulating	Stud Size	Pack Qty
466172	466127	M8 x 25	400
466173	466128	M8 x 40	300
466174	466129	M8 x 55	200
466175	466130	M8 x 70	150
466176	466131	M8 x 100	100
466177	466132	M10 x 25	300
466178	466133	M10 x 40	200
466179	466134	M10 x 55	100
466180	466135	M10 x 70	100
466181	466136	M10 x 100	50

38mm Diameter Foot

Part Number Articulating	Part Number Non-Articulating	Stud Size	Pack Qty
466182	466137	M8 x 25	400
466183	466138	M8 x 40	300
466184	466139	M8 x 55	200
466185	466140	M8 x 70	150
466186	466141	M8 x 100	100
466187	466142	M10 x 25	300
466188	466143	M10 x 40	200
466189	466144	M10 x 55	100
466190	466145	M10 x 70	100
466191	466146	M10 x 100	50
466192	466147	M12 x 25	200
466193	466148	M12 x 40	150
466194	466149	M12 x 55	150
466195	466150	M12 x 70	100
466196	466151	M12 x 100	50

48mm Diameter Foot

Part Number Articulating	Part Number Non-Articulating	Stud Size	Pack Qty
466197	466152	M8 x 25	300
466198	466153	M8 x 40	200
466199	466154	M8 x 55	150
466200	466155	M8 x 70	150
466201	466156	M8 x 100	100
466202	466157	M10 x 25	200
466203	466158	M10 x 40	150
466204	466159	M10 x 55	100
466205	466160	M10 x 70	100
466206	466161	M10 x 25	50
466207	466162	M12 x 25	150
466208	466163	M12 x 40	100
466209	466164	M12 x 55	100
466211	466165	M12 x 100	50

Adjustable Feet

Chrome-Capped Low Profile Adjustable Feet

Natural Nylon

Attractive chrome metal covershell. Bright zinc-plated steel stud. Ideal for uneven surfaces.

Part Number	Foot Diameter	Stud Size	Pack Qty
RWA25M0820	25	M8 x 20	500
RWA35M0820	35	M8 x 20	250
RWA45M0820	45	M8 x 20	250
RWB50M0820*	50	M8 x 20	250
RWA45M1045	45	M10 x 45	500

* Style variation, cap covers entire base



Chrome-Capped Adjustable Feet

Black Polyethylene

Attractive chrome metal covershell. Non-tilt design provides extra stability. Ideal for uneven surfaces. Protect floor surface from abrasion.

Part Number	Foot Diameter	Stud Size	Pack Qty
465347	20	M6 x 10	1000
465346	25	M8 x 20	500
465352	30	M8 x 20	250
465355	35	M8 x 20	250
465356	40	M8 x 25	250
465345	25	M10 x 20	250
465350	30	M10 x 20	250
465358*	40	M10 x 40	250
465354*	40	M10 x 60	200
465359**	40	M10 x 25	250

* Small degree of tilt – loose swivelling adjustable nut (17mm a/f).

** Fixed hexagonal adjustable nut (10mm a/f).



METALIKA
Locking systems KAČIN
www.metalika-kacin.com

Push Rivets

SR 1963

Natural or Black Nylon

EXTENDED RANGE





Press post and shaft expands to lock

- Fast, economical, permanent
- Rivet expands for secure tight fit
- Good electrical insulation
- Vibration, abrasion and corrosion resistent
- Installation tool available for faster fixing

Part Number		Nominal Panel Hole Size (mm)	Dimensions (mm)				Std Pack Qty
Natural	Black		Panel Thickness	H	h	Head Diameter	
093011000002	093011059902	3.0	1.0 - 4.0	5.7	1.3	5.0	250
093012000002	093012059902	3.5	1.0 - 5.0	6.8	1.3	6.0	250
093000200002	093000269902	3.6	2.0 - 5.5	7.0	2.0	7.7	250
093013000002	093013059902	4.0	1.5 - 6.0	7.9	1.5	6.5	250
-	093000469902	4.0	4.0 - 6.5	8.0	1.5	6.5	250
093002300002	-	4.4	1.0 - 3.5	5.0	1.7	6.0	250
093001000002	093001069902	4.8	1.6 - 4.7	7.4	2.5	8.7	250
093000800002	093000869902	4.8	4.0 - 8.7	11.0	1.2	7.1	250
093000700002	093000769902	5.0	1.5 - 5.0	7.4	2.0	7.1	250
093014000002	093014059902	5.0	1.5 - 7.0	9.2	1.8	8.5	250
-	093001469902	5.0	3.0 - 7.0	11.0	2.0	9.7	250
093015000002	093015059902	6.0	2.0 - 8.0	10.5	2.2	10.0	250
093002400002	093002469902	6.0	3.0 - 7.0	10.0	2.0	11.0	250
093002600002	093002669902	6.4	4.0 - 9.5	12.0	2.0	11.0	250
093016000002	093016059902	7.0	2.5 - 9.0	11.8	2.6	12.0	250
093001800002	093001869902	7.1	4.0 - 12.0	17.5	2.5	17.0	250
093017000002	093017059902	8.0	3.0 - 10.0	13.0	3.0	13.5	250

Rivet Hand Tool for Push Rivets

SR 1919

NEW

- For use with Push Rivet: SR 1963
- Ensures secure rivet fastening
- Simply position rivet gun over stem of the rivet and push down

Part Number	Std Pack Qty	Corresponding Push Rivet Part Number	
		Natural	Black
112011099999	1	093011000002	093011059902
112012099999	1	093012000002	093012059902
112013099999	1	093013000002	093013059902
112000899999	1	093000800002	093000869902
112014099999	1	093014000002	093014059902
112015099999	1	093015000002	093015059902
112002499999	1	093002400002	093002469902
112016099999	1	093016000002	093016059902
112001899999	1	093001800002	093001869902
112017099999	1	093017000002	093017059902

Drive Rivets

SR 1920

Nylon 6 and POM

NEW



- Supplied in Black, White or Natural
- Provides solid connection by means of blind side fixing

Part Number			Panel Thickness	Dimensions (mm)				Std Pack Qty
Natural	White	Black		A	B	C	D	
-	172315511302	172315569902	3.0 - 4.0	5.8	3.1	5.5	1.6	250
-	172414511302	172414569902	2.0 - 3.0	8.0	4.1	4.5	3.0	250
-	172485011302	172485069902	1.2 - 3.0	9.8	4.8	5.0	3.6	250
	172515011302	172515069902	2.0 - 3.0	9.5	5.1	5.0	2.4	250
-	172516011302	172516069902	3.0 - 4.0	9.5	5.1	6.0	2.8	250
-	172517011302	172517069902	4.0 - 5.0	9.5	5.1	7.0	2.5	250
-	172518011302	172518069902	5.0 - 6.0	9.5	5.1	8.0	2.8	250
-	172519011302	172519069902	6.0 - 7.0	9.5	5.1	9.0	3.7	250
-	172511211302	172511269902	7.0 - 8.5	8.0	5.1	11.5	3.0	250
172616000002	-	172616069902	2.5 - 4.0	11.0	6.1	6.0	1.6	250

METALIKA Locking systems KACIN
www.metalika-kacin.com

Blind Rivets

SR 1911

Natural Nylon

- Good electrical insulation
- Vibration, abrasion and corrosion resistent



Part Number	Nominal Panel Hole Size (mm)	Dimensions (mm)				Std Pack Qty
		Panel Thickness	D	h	d	
2020010000VR	4.1	0.5 - 5.0	9.0	1.2	2.5	1000
2020020000VR	4.1	5.0 - 9.0	9.0	1.2	2.5	1000
2020030000VR	5.1	0.5 - 5.0	11.0	1.2	3.0	1000
2020040000VR	5.1	5.0 - 9.0	11.0	1.5	3.0	1000
2020050000VR	6.1	0.5 - 5.0	13.0	1.5	3.5	1000
2020060000VR	6.1	5.0 - 9.0	13.0	1.5	3.5	1000

Blind Rivet Gun

NEW

- Suitable for all blind rivets in SR 1911
- Part number 495141

Screw Rivets

SR 1962

Nylon 6.6



Part Number	Colour	Dimensions (mm)				Panel Thickness Range	Std Pack Qty
		D	d	H	h		
113000169902	Black	12.0	5.0	11.0	1.5	4.0 - 7.0	250
113105000002	Natural	12.5	5.0	9.6	1.2	2.0 - 7.0	250
113105059902	Black	12.5	5.0	9.6	1.2	2.0 - 7.0	250
113106000002	Natural	15.0	6.0	10.7	1.3	2.0 - 8.0	250
113106059902	Black	15.0	6.0	10.7	1.3	2.0 - 8.0	250
113000269902	Black	16.0	6.0	11.0	1.5	4.0 - 7.0	250
113107000002	Natural	17.5	7.0	12.1	1.4	3.0 - 9.0	250
113107059902	Black	17.5	7.0	12.1	1.4	3.0 - 9.0	250
113108000002	Natural	20.0	8.0	13.5	1.5	3.0 - 10.0	250
113108059902	Black	20.0	8.0	13.5	1.5	3.0 - 10.0	250
113000369902	Black	20.0	8.0	14.0	1.5	3.0 - 10.0	250

Push Lock Rivets

NEW

SR 1912

Black Nylon 6

- Quick and easy to install
- Closed end feature acts as a self-aligning mechanism
- Double locking construction prevents the pin from disengaging during shipment or assembly



Part Number	Dimensions (mm)					Std Pack Qty
	Hole Size (mm)	Panel Range	D (mm)	h	H	
495201	5.0	1.5 - 4.6	7.2	1.0	11.4	1000
495202	6.3	4.0 - 7.6	18.0	2.5	17.3	1000
495203	6.3	2.5 - 8.9	25.4	2.5	22.5	1000
495204	6.3	2.5 - 8.9	15.0	2.7	18.5	1000
495205	6.3	1.5 - 7.6	17.4	2.0	20.4	1000
495206	6.5	2.5 - 8.9	15.0	2.0	22.4	1000
495207	7.0	12.0 - 15.0	25.4	2.5	27.0	1000
495208	7.0	9.0 - 13.0	18.0	2.5	23.0	1000
495209	8.0	3.0 - 8.0	20.0	2.7	21.0	1000
495210	8.0	3.0 - 8.0	15.0	2.6	22.0	1000
495211	8.0	4.0 - 8.0	18.0	2.9	23.0	1000
495212	8.0	12.0 - 16.0	15.0	3.0	29.0	1000
495213	9.0	3.0 - 7.0	16.0	2.6	20.0	1000
495214	9.5	0.9 - 4.8	25.0	2.4	25.2	1000
495215	9.5	3.5 - 7.0	17.9	2.5	23.0	1000
495216	10.0	6.0 - 10.0	20.0	3.7	26.7	1000
495217	11.5	29.0 - 31.0	30.0	2.5	50.0	1000

Quarter Turn Rivets

NEW

SR 1915

Black Pom

- Quick release fastener
- Suitable for security panels and components that need to be replaced quickly



Part Number	Dimensions (mm)					Std Pack Qty
	Hole Size (mm)	Panel Range	D (mm)	h	L	
495234	6.0	3.0 - 5.0	17.9	2.3	16.2	1000
495235	6.0	4.5 - 6.0	14.2	2.0	16.0	1000
495236	6.0	4.5 - 6.0	16.0	2.3	12.1	1000
495237	7.0	2.5 - 5.0	16.0	2.3	14.2	1000
495238	7.5	4.5 - 7.0	19.8	3.1	13.7	1000
495239	8.0	3.5 - 6.0	19.9	2.9	18.3	1000
495240	9.0	4.0 - 7.5	18.7	3.6	25.4	1000
495241	9.0	6.0 - 8.2	15.0	3.8	20.4	1000
495242	7.0 - 9.0	4.5 - 6.5	15.7	3.0	15.5	1000

Quarter Turn Latches

SR 1917

Nylon



- Turn the quarter turn fastener to both lock and release the fastener
- Supplied in pre-assembled format for convenience
- Ideal for when it is impossible to fit a receptacle in the frame work
- Available in both black and natural

Part Number		Dimensions (mm)					Std Pack Qty
Black	Natural	Hole Size (mm)	Panel Thickness	Head Diameter	Head Height	Length	
495245	495246	9.0 x 9.1 - 9.3	1.6 - 5.0	15.0	6.0	11.0	1000

Magnetic Latches

SR 1916



Black Pom/ Magnet

- Snap-in style can be installed quickly in a single mounting hole
- Magnet latches can be used to hold metal panel or steel strikers
- No hardware is visible from the outside
- Low breakaway force

Part Number	Dimensions (mm)				Std Pack Qty
	Hole Size (mm)	Panel Thickness	Head Size	Length	
495243	11.3/9.5 x 6.0	3.5	11.0 x 6.0 x 1.5	10.2	50
495244	12.0/10.0 x 5.0	3.5	12.0 x 5.0 x 1.5	9.0	50

Snap Latches

SR 1993

Plunger: Nylon 6

Grommet: Polycarbonate

- Allow repeated release and fixing for maintenance work to be carried out
- Snap into panel or hole with easy push action





Plunger

Part Number		Type	Dimensions (mm)		Std Pack Qty	Use Grommet Part Number	
Black	White		Panel Thickness T	Hole Size d1		Black	Natural
462794	462804	1	1.9-4.2	7.6	1000	462800	462810
462795	-	2	1.9-4.2	7.6	1000	462800	462810
462797	462807	1	3.0-5.2	7.6	1000	462801	462811
462798	462808	3	1.9-4.2	6.0	1000	462802	462812
462799	-	3	3.0-5.2	6.0	1000	462803	462813

Grommet

Part Number		Dimensions (mm)					Std Pack Qty
Black	White	Panel Thickness t	Hole size d2	D	h1	L	
462800	462810	1.5	8.0	10.8	2.0	9.8	1000
462801	-	2.5	8.0	10.8	2.0	10.9	1000
462802	462812	1.5	6.4	8.5	1.8	6.8	1000
462803	-	2.5	6.4	8.5	1.8	6.8	1000

Releasable Rivets

SR 1994

Plunger: Nylon 6

- Easy application and release mechanism
- Ideal for applications requiring regular maintenance





Part Number		Dimensions (mm)					Std Pack Qty
Black	White	D	h1	D1	h2	Panel Thickness (mm)	
462620	462633	10.0	8.0	3.0	3.5	1.0-2.0	1000
-	462634	10.0	8.0	3.0	4.5	2.0-3.0	1000
-	462635	10.0	8.0	3.0	5.5	3.0-4.0	1000
-	462637	10.0	8.0	3.0	8.0	5.5-6.5	1000
462625	-	10.0	8.0	3.5	4.5	2.0-3.0	1000
462627	-	10.0	8.0	3.5	7.0	3.8-5.2	1000
462628	462641	12.0	8.0	4.0	5.0	2.5-3.5	1000
462629		12.0	8.0	4.0	6.0	3.5-4.5	1000
-	462644	12.0	8.0	4.0	8.0	5.5-6.5	1000
462632	462645	12.0	8.0	4.0	10.0	7.5-8.5	1000

METALIKA Locking systems KACIN
www.metalika-kacin.com

Keyhole Clips

SR 1970

Natural Nylon 6.6

- Easy finger-pressure assembly
- Good electrical insulation
- Vibration, abrasion and corrosion resistant





Part Number	Dimensions (mm)			Std Pack Qty
	Hole Diameter (mm)	Maximum Panel Thickness	D	
460402	3.18	2.36	6.35	1000
460403	3.18	3.18	6.35	1000
460404	3.18	3.96	6.35	1000
460405	3.18	4.78	6.35	1000
460406	3.18	5.56	6.35	1000
460407	3.18	6.35	6.35	1000
460408	3.96	2.36	7.94	1000
460409	3.96	3.18	7.94	1000
460410	3.96	3.96	7.94	1000
460411	3.96	4.75	7.94	1000
460412	3.96	5.54	7.94	1000
460413	3.96	6.35	7.94	1000
460414	3.96	7.14	7.94	1000
460416	3.96	8.71	7.94	1000
460417	3.96	9.53	7.94	1000
460418	5.56	2.36	8.73	1000
460419	5.56	3.18	8.73	1000
460420	5.56	3.96	8.73	1000
460421	5.56	4.78	8.73	1000
460422	5.56	5.56	8.73	1000
460423	5.56	6.35	8.73	1000
460424	5.56	7.14	8.73	1000
460425	5.56	7.92	8.73	1000
460426	6.35	2.36	12.70	1000
460427	6.35	3.18	12.70	1000
460428	6.35	3.96	12.70	1000
460429	6.35	4.75	12.70	1000
460430	6.35	5.56	12.70	1000
460431	6.35	6.35	12.70	1000
460432	6.35	7.14	12.70	1000
460433	6.35	7.92	12.70	1000
460434	6.35	8.71	12.70	1000
460435	6.35	9.53	12.70	1000

Mounting Buttons

SR 1964

Nylon 6.6

- Ideal to fasten thin gauge material, or mount lightweight components
- Suitable for front panel mounting
- Now available in black

EXTENDED RANGE



Part Number		Hole Size (mm)	Panel Thickness	Dimensions (mm)			Std Pack Qty
Natural	Black			D	h_2	h	
091000000002	091000059902	2.8	0.8 - 3.6	7.8	12.0	1.2	500
091000100002	091000159902	3.5	2.4 - 5.8	7.6	13.0	1.1	500
091000200002	091000259902	3.5	0.9 - 4.0	10.3	11.0	2.5	500
091000300002	091000359902	3.5	0.9 - 4.0	10.3	11.0	4.8	500
091000600002	091000659902	4.8	0.8 - 4.0	9.5	11.0	1.5	500
091000400002	091000459902	5.0	1.5 - 3.5	9.5	11.0	1.6	500
091000700002	091000769902	5.0	3.0 - 6.0	13.8	14.4	2.2	250
091001000002	091001069902	5.0	0.5 - 3.0	13.5	14.4	2.6	250
091001200002	091001259902	5.8	6.0 - 8.5	15.0	18.0	3.0	250
091001100002	091001159902	6.5	3.0 - 7.0	14.0	19.0	2.5	250
091001300002	091001359902	6.6	0.8 - 5.0	12.7	14.5	1.7	250
091001500002	091001559902	7.2	2.0 - 5.5	14.3	17.0	2.0	250
091001650002	091001659902	9.4	3.0 - 9.0	20.0	24.0	2.6	250

Arrow Clips

SR 1969

Natural Nylon 6.6 or POM

- Good electrical insulation
- Vibration, abrasion and corrosion resistant





Part Number	Panel Hole Dia (mm)	Dimensions (mm)					Std Pack Qty
		Panel Thickness (mm)	D	h_1	H	d	
460387	2.16-2.29	0.81-2.72	3.18	0.76	4.75	2.72	1000
460388	3.00-3.10	1.57-3.18	7.11	1.52	9.91	3.71	1000
460389	3.02-3.43	1.58-3.18	6.86	1.01	8.38	3.56	1000
*137000800005	3.5	1.0-4.5	8.0	1.5	13.0	3.2	500
460390	3.84-4.09	1.57-3.18	7.11	1.02	9.91	4.98	1000
460391	3.84-4.09	1.57-3.68	7.11	2.03	10.16	4.57	1000
*137002000005	4.0	1.0-5.0	9.0	1.6	14.0	3.9	500
460392	4.06-4.19	0.81-3.18	7.11	2.03	10.16	4.72	1000
460393	4.62-4.88	1.57-3.18	9.14	1.52	10.16	5.72	1000
460394	4.62-4.88	4.19-4.70	9.53	1.52	13.33	5.23	1000
*137003000005	5.0	1.0-5.5	10.0	1.7	15.0	4.7	500
*137006000005	6.0	6.0-9.0	12.0	2.0	18.0	5.5	500
460400	8.38-8.64	3.18-8.88	17.45	0.75	22.74	9.4	1000
460401	8.51-8.76	1.57-3.56	22.0	1.27	11.43	9.22	1000

* Made from POM

Snap Rivets

SR 1811

Black or White Nylon

- Press neatly into position



Round Head, Black or White Nylon

Part Number		Dimensions (mm)				Panel Thickness (mm)	Std Pack Qty
Black	White	D	h	h1	D1		
463202	463215	4.2	1.2	2.4	2.0	0.6-1.2	1000
463203	463216	4.2	1.2	3.2	2.0	1.3-2.0	1000
463204	463217	4.2	1.2	4.0	2.0	2.1-2.8	1000
463205	463218	4.2	1.2	4.8	2.0	2.9-3.6	1000
32505	39143	5.0	1.4	3.2	2.6	1.0-2.0	1000
32506	39144	5.0	1.4	4.2	2.6	2.1-3.0	1000
463206	463219	5.0	1.4	4.8	2.6	2.7-3.6	1000
32507	39145	5.0	1.4	5.5	2.6	3.4-4.3	1000
32508	39103	6.4	1.6	3.5	3.0	1.0-2.0	1000
32509	39125	6.4	1.6	4.5	3.0	2.0-3.0	1000
32510	39126	6.4	1.6	5.5	3.0	3.0-4.0	1000
32511	34024	6.4	1.6	6.5	3.0	4.0-5.0	1000
463207	463220	6.4	1.6	7.5	3.0	5.0-6.0	1000
32512	39147	6.4	1.6	8.0	3.0	5.5-6.5	1000
463208	463221	6.4	1.6	9.0	3.0	6.5-7.5	1000
463209	463222	6.4	1.6	10.0	3.0	7.5-8.5	1000
463210	463223	6.4	1.6	3.5	3.5	1.2-2.1	1000
32513	39148	6.4	1.6	4.5	3.5	2.2-3.1	1000
463211	463224	6.4	1.6	5.0	3.5	2.7-3.6	1000
32514	-	6.4	1.6	5.5	3.5	3.2-4.1	1000
463212	463225	6.4	1.6	6.0	3.5	3.7-4.6	1000
32515	31644	6.4	1.6	7.0	3.5	4.5-5.5	1000
463213	463226	6.4	1.6	8.0	3.5	5.7-6.6	1000
32516	39151	8.0	1.8	5.0	4.0	2.5-3.5	1000
32517	39158	8.0	1.8	6.0	4.0	3.5-4.5	1000
32518	32704	8.0	1.8	7.0	4.0	4.5-5.5	1000
32519	39152	8.0	1.8	8.0	4.0	5.5-6.5	1000
32520	34718	8.0	1.8	10.0	4.0	7.5-8.5	1000
32521	39153	9.0	2.2	4.5	5.0	1.5-2.5	1000
32522	39154	9.0	2.2	5.5	5.0	2.5-3.5	1000
32523	39155	9.0	2.2	6.5	5.0	3.5-4.5	1000
32524	32707	9.0	2.2	7.5	5.0	4.5-5.5	1000
32525	39156	9.0	2.2	8.5	5.0	5.5-6.5	1000
32526	39157	9.0	2.2	9.5	5.0	6.5-7.5	1000
32527	31741	9.0	2.2	10.5	5.0	7.5-8.5	1000
32528	36422	12.0	2.5	6.0	6.0	2.5-4.0	1000
463214	463227	12.0	3.0	8.0	6.0	4.0-5.5	1000

Add 0.1mm to d1 dimension for recommended hole size.

Countersunk Head, Black Nylon

- Ideal for flush fit

Part Number	Dimensions (mm)				Panel Thickness (mm)	Std Pack Qty
	D	h	h1	D1		
39135	6.4	1.1	3.5	3.0	1.0-2.0	1000
39136	6.4	1.1	4.5	3.0	2.0-3.0	1000
39139	6.4	1.1	8.0	3.0	5.0-6.5	1000
39141	6.4	1.1	5.5	3.5	3.0-4.0	1000
39142	6.1	1.1	7.0	3.5	4.5-5.0	1000

Push-In Fasteners

SR 1968

Natural Nylon 6.6

- Lock into pre-punched panels
- Vibration, abrasion and corrosion resistant





Part Number	Hole Diameter (mm)	Dimensions (mm)						Std Pack Qty
		Maximum Panel Thickness	d1	d2	D	h2	h1	
2010360000VR	2.3 - 2.4	1.7	2.3	2.7	4.7	1.0	3.6	1000
2010060000VR	2.3 - 3.0	3.1	2.3	3.7	8.0	1.0	5.2	1000
2010590000VR	2.3 - 2.4	3.7	2.3	2.7	4.8	1.1	5.4	1000
2010070000VR	2.4 - 2.5	1.6	2.4	2.7	7.1	1.0	3.5	1000
2010080000VR	2.4 - 2.5	2.4	2.4	2.7	7.0	1.0	4.2	1000
2010090000VR	2.4 - 3.0	2.9	2.4	3.7	6.4	1.0	5.1	1000
2010560000VR	2.4 - 2.8	8.0	2.4	3.4	3.6	1.5	10.0	1000
2010100000VR	3.0 - 3.2	3.1	3.0	3.7	5.2	1.0	6.2	1000
2010110000VR	3.0 - 3.1	3.5	3.0	3.6	5.2	1.0	6.8	1000
2010120000VR	3.0 - 3.1	4.0	3.0	3.6	5.2	0.8	7.6	1000
2010130000VR	3.0 - 3.1	6.0	3.2	3.5	5.2	1.0	7.8	1000
2010460000VR	3.0 - 3.2	6.4	3.0	3.7	5.2	1.1	9.2	1000
2010770000VR	3.0 - 3.2	8.1	3.0	3.7	6.0	0.8	10.2	1000
2010750000VR	3.0 - 3.2	14.0	3.0	3.7	6.4	1.5	17.5	1000
2010150000VR	3.3 - 3.8	4.8	3.3	4.6	5.2	1.0	7.1	1000
2010950000VR	3.7 - 4.5	3.3	3.7	5.2	15.0	1.3	6.5	1000
2010160000VR	3.8 - 4.6	8.0	3.8	5.3	9.9	1.5	10.9	1000
2010490000VR	4.1 - 4.4	11.4	4.1	5.1	8.7	1.8	15.5	1000
2010170000VR	4.2 - 4.4	1.7	4.2	5.1	8.7	3.0	5.3	1000
2010180000VR	4.2 - 4.4	3.4	4.2	5.1	8.7	1.0	6.8	1000
2010990000VR	4.4 - 4.7	4.6	4.5	5.6	10.0	1.4	8.6	1000
2010190000VR	4.4 - 4.8	6.3	4.4	5.7	8.7	1.7	10.8	1000
2010200000VR	4.6 - 4.8	14.1	4.6	5.7	8.7	1.8	18.0	1000
2010370000VR	4.6 - 4.8	16.2	4.6	5.6	9.5	1.5	20.0	1000
2010760000VR	5.0 - 5.3	3.3	5.0	6.0	12.0	3.0	7.1	1000
2010210000VR	5.1 - 5.2	3.1	5.1	6.0	12.0	1.3	6.9	1000
2010220000VR	5.1 - 5.2	4.0	5.1	5.8	12.0	1.3	7.7	1000
2010230000VR	5.2 - 5.3	9.5	5.2	6.0	8.7	1.0	13.0	1000
2010040000VR	5.5 - 5.9	3.5	5.5	7.0	14.0	3.0	7.0	1000
2010240000VR	5.8 - 6.5	44.0	5.8	7.5	10.0	1.8	49.2	1000
2010850000VR	6.1 - 6.4	3.2	6.1	7.1	12.7	1.4	7.8	1000
2010860000VR	6.1 - 6.4	4.0	6.1	7.1	12.7	1.4	8.5	1000
2010870000VR	6.1 - 6.4	4.8	6.1	7.1	12.7	1.5	9.3	1000
2010880000VR	6.1 - 6.3	5.6	6.1	7.0	12.7	1.5	10.5	1000
2010890000VR	6.1 - 6.4	6.3	6.1	7.2	12.7	1.6	10.8	1000
2010250000VR	6.1 - 6.5	7.0	6.1	7.5	11.5	1.0	11.8	1000
2010260000VR	6.1 - 6.5	7.6	6.1	7.5	11.5	1.5	12.4	1000
2010910000VR	6.1 - 6.4	8.0	6.1	7.1	12.7	1.5	12.4	1000
2010280000VR	6.1 - 6.5	8.4	6.1	7.5	11.5	1.6	13.1	1000
2010920000VR	6.1 - 6.4	8.8	6.1	7.1	12.7	1.5	13.2	1000
2010930000VR	6.1 - 6.4	9.5	6.1	7.1	12.7	1.6	13.8	1000
2010980000VR	6.1 - 6.4	11.1	6.1	7.1	12.7	1.5	15.6	1000
2010960000VR	6.1 - 6.4	11.8	6.1	7.1	12.7	1.4	16.4	1000
2010970000VR	6.1 - 6.4	12.7	6.1	7.1	12.7	1.5	17.1	1000
2010830000VR	6.2 - 6.4	1.6	6.2	7.1	12.7	1.5	5.9	1000
2010840000VR	6.2 - 6.4	2.5	6.2	7.1	12.7	1.5	6.9	1000
2010270000VR	6.2 - 6.6	6.3	6.2	7.6	15.0	1.5	11.1	1000
2010290000VR	6.2 - 6.6	9.5	6.2	7.6	15.0	1.5	14.3	1000
2010940000VR	6.2 - 6.4	10.3	6.2	7.2	12.7	1.5	14.7	1000
2010300000VR	6.2 - 6.6	12.2	6.2	7.6	15.0	1.4	16.9	1000
2010540000VR	6.5 - 6.7	5.0	6.5	7.5	8.7	0.8	9.	1000
2010320000VR	6.6 - 6.8	4.3	6.6	7.6	12.7	1.5	9.1	1000
2010340000VR	7.0 - 7.2	10.3	7.0	8.0	15.0	1.4	14.4	1000
2010570000VR	7.7 - 8.7	3.0	7.7	9.6	11.1	1.9	9.5	1000

Grommet Nuts

SR 1959

Natural Nylon 6.6



- For a secure threaded connection between two panels

Part Number	Self-Tapping Screw Size	Dimensions (mm)		Panel Hole Size (mm)	Panel Hole Thickness (mm)	Std Pack Qty
		D	h			
162501300002	2.9	8.0	1.3	5.0 x 5.0	0.8 - 2.5	250
162601400002	3.5	10.0	1.4	6.0 x 6.0	0.8 - 3.0	250
162701500002	4.2	12.0	1.5	7.0 x 7.0	0.8 - 4.0	250
162801600002	4.8	14.0	1.6	8.0 x 8.0	0.8 - 5.0	250

METALIKA Locking systems KACIN
www.metalika-kacin.com

Barbed Push Fasteners

SR 1965

Nylon 6.6 and Polypropylene

- Ideal for threaded, non-threaded, drilled or punched holes
- Some sizes now available in high clarity polypropylene

EXTENDED RANGE





Part Number			Hole Diameter (mm)	Maximum Panel Thickness (mm)	D (mm)	h1 (mm)	h2 (mm)	Std Pack Qty
Black	Natural	Clear						
167201569902	167201500002	-	2.7 - 3.3	1.5 - 8.0	6.0	11.0	0.9	100
167202069902	167202000002	-	2.7 - 3.3	1.5 - 15.0	6.0	18.0	0.9	100
468809	468833	-	3.0 - 3.2	4.0-16.5	5.5	18.5	1.0	1000
468811	468835	-	3.5	0.7-5.0	9.1	9.5	1.5	1000
167204566902	167204500002	-	4.1 - 5.2	1.5 - 5.5	12.0	10.0	1.2	100
460436	-	-	4.8	0.6-9.23	9.5	12.7	1.8	1000
460437	-	-	4.8	0.8-8.4	11.1	14.3	1.7	1000
468813	468837	495222	4.8	0.7-13.0	11.0	17.3	1.7	1000
463609	-	-	4.9	2.4-7.4	11.2	12.5	1.1	100
468814	468838	-	5	1.2-6.0	16.0	11	2.0	1000
468815	468839	-	5	1.7-8.0	11.0	12.7	1.0	1000
167206569902	167206500002	-	5.6 - 6.4	1.5 - 15.0	13.0	20.0	1.5	100
167207069902	167207000002	-	5.6 - 6.4	1.0 - 27.0	13.0	32.0	1.5	100
167209069902	167209000002	-	5.9 - 7.2	2.0 - 19.0	14.0	24.0	1.2	100
468816	468840	-	6	2.0-8.0	15.5	12.7	1.0	1000
468817	468841	-	6	2.5-8.0	16.0	15	2.0	1000
468819	468843	-	6	3.5-19.0	12.7	24	1.5	1000
468820	468844	495223	6.0-6.3	2.3-8.9	17.8	15.5	2.4	1000
468821	468845	495221	6.0-6.3	2.5-12.0	17.8	20.4	2.5	1000
460439	-	-	6.35	2.7-7.6	17.8	11.1	2.5	1000
460440	-	-	6.35	3.8-13.5	17.8	18.9	2.7	1000
468824	468848	495225	6.4	2.7-7.3	19.1	15.9	0.8	1000
-	-	495224	6.4	10.7-28.8	17.8	35.1	2.5	1000
468826	468850	495227	7	2.0-25.0	30.0	34.8	2.2	1000
-	-	495226	7	0.7-20.0	18.0	27.3	2.0	1000
468828	468852	-	7.0-7.2	2.4-11.9	15.9	18.9	1.0	1000
460441	-	-	7.1	2.4-12.7	15.9	22.6	2.8	1000
495230	468832	-	7.2	1.5 - 14.0	19.0	21.2	2.4	1000
495231	495233	-	7.2	1.5 - 25.4	19.0	30.5	2.0	1000
468799	-	-	7.5	2.7-17.0	19.0	21	2.0	1000
468829	468853	-	8	3.3-12.7	12.7	16.8	1.5	1000
468830	-	-	8.7	1.4-13.0	16.0	19.1	2.3	1000
468831	468855	-	10	1.5-20.0	21.8	28.2	3.5	1000

Double Ended Barb Push Fasteners

SR 1913

Black Nylon 6.6

- Allows 2 panels to be connected from the centre so that no fastener head is visible.
- Presses neatly into position

NEW



Part Number	Hole Size (mm)	Panel Range (mm)	Head Diameter D (mm)	Head Height B (mm)	Length A&C (mm)	Std Pack Qty
495218	4.0	2.6 - 6.3	7.5	1.8	7.8	1000
495219	7.5	3.0 - 8.0	19.0	1.0	17.5	1000
495220	8.0	A=3.2-9.5, C=3.6-19.0	12.7	1.1	A=11.6 C=21.8	1000

Assembly Clips

SR 1990

Natural Nylon 6.6



12mm Head with slot

Part Number		Dimensions (mm)						Std Pack Qty
Black	White	Hole Diameter	Panel Thickness	d_1	D	l_1	L	
8100670001VR	8100670008VR	5 - 8	5.3 - 7.5	5.0	12.0	3.0	5.5	1000
8100680001VR	8100680008VR	5 - 8	9.0 - 13.0	5.0	12.0	3.0	9.0	1000
8100690001VR	8100690008VR	5 - 8	13.0 - 20.0	5.0	12.0	3.0	13.0	1000
8100660001VR	8100660008VR	5 - 8	18.0 - 28.0	5.0	12.0	3.0	18.0	1000
8100700001VR	8100700008VR	5 - 8	20.0 - 34.0	5.0	12.0	3.0	20.0	1000
8100710001VR	8100710008VR	7 - 8	13.0 - 20.0	7.0	12.0	3.0	13.0	1000



12mm Head without slot

Part Number		Dimensions (mm)						Std Pack Qty
Black	White	Hole Diameter	Panel Thickness	d_1	D	l_1	L	
8110670001VR	8110670008VR	5 - 8	5.3 - 7.5	5.0	12.0	4.0	5.5	1000
8110680001VR	8110680008VR	5 - 8	9.0 - 13.0	5.0	12.0	4.0	9.0	1000
8110690001VR	8110690008VR	5 - 8	13.0 - 20.0	5.0	12.0	4.0	13.0	1000
8110660001VR	8110660008VR	5 - 8	18.0 - 28.0	5.0	12.0	4.0	18.0	1000
8110700001VR	8110700008VR	5 - 8	20.0 - 34.0	5.0	12.0	4.0	20.0	1000
8110710001VR	8110710008VR	7 - 8	13.0 - 20.0	7.0	12.0	4.0	13.0	1000



19mm Head without slot

Part Number		Dimensions (mm)						Std Pack Qty
Black	White	Hole Diameter	Panel Thickness	d_1	D	l_1	L	
8130670001VR	8130670008VR	5 - 8	5.3 - 7.5	5.0	19.0	3.0	5.5	1000
8130680001VR	8130680008VR	5 - 8	9.0 - 13.0	5.0	19.0	3.0	9.0	1000
8130690001VR	8130690008VR	5 - 8	13.0 - 20.0	5.0	19.0	3.0	13.0	1000
8130660001VR	8130660008VR	5 - 8	18.0 - 28.0	5.0	19.0	3.0	18.0	1000
8130700001VR	8130700008VR	5 - 8	20.0 - 34.0	5.0	19.0	3.0	20.0	1000
8130710001VR	8130710008VR	7 - 8	13.0 - 20.0	7.0	19.0	3.0	13.0	1000



20mm Rounded Head with slot

Part Number		Dimensions (mm)						Std Pack Qty
Black	White	Hole Diameter	Panel Thickness	d_1	D	l_1	L	
8170820101VR	8170820108VR	10 - 15	8.7 - 11.5	9.7	20.0	3.5	8.5	1000
8170840101VR	8170840108VR	10 - 15	18.0 - 25.0	9.7	20.0	3.5	16.0	1000

METALIKA Locking systems KACIN
www.metalika-kacin.com

Book Screws

SR 1999

Natural Nylon

Female



Male



Female

Part Number	Colour	Dimensions (mm)					Std Pack Qty
		d1	D	H	d	h	
081041011301	White	M4	12.0	10.0	6.0	2.2	250
081041011401	Black	M4	12.0	10.0	6.0	2.2	250
081041511301	White	M4	12.0	15.0	6.0	2.2	250
081041511401	Black	M4	12.0	15.0	6.0	2.2	250
081042011301	White	M4	12.0	20.0	6.0	2.2	250
081042011401	Black	M4	12.0	20.0	6.0	2.2	250
081042511301	White	M4	12.0	25.0	6.0	2.2	250
081042511401	Black	M4	12.0	25.0	6.0	2.2	250
081043011301	White	M4	12.0	30.0	6.0	2.2	250
081043011401	Black	M4	12.0	30.0	6.0	2.2	250
081051011301	White	M5	14.0	10.0	7.0	2.5	250
081051011401	Black	M5	14.0	10.0	7.0	2.5	250
081061050001	White	M6	16.0	10.0	8.0	3.0	500
081061059901	Black	M6	16.0	10.0	8.0	3.0	500
081061650001	White	M6	16.0	16.0	8.0	3.0	500
081061659901	Black	M6	16.0	16.0	8.0	3.0	500
081161050001	White	M6	16.0	10.0	8.0	2.5	500
081161059901	Black	M6	16.0	10.0	8.0	2.5	500
081161650001	White	M6	16.0	16.0	8.0	2.5	500
081161659901	Black	M6	16.0	16.0	8.0	2.5	500

Male

Part Number	Colour	Dimensions (mm)						Std Pack Qty
		d1	D	H	d	h	h1	
082041011301	White	M4	12.0	10.0	6.0	-	2.5	250
082041011401	Black	M4	12.0	10.0	6.0	-	2.5	250
082051011301	White	M5	14.0	10.0	7.0	-	2.5	250
082051011401	Black	M5	14.0	10.0	7.0	-	2.5	250
082051511301	White	M5	14.0	15.0	7.0	5.0	2.5	250
082051511401	Black	M5	14.0	15.0	7.0	5.0	2.5	250
082052011301	White	M5	14.0	20.0	7.0	10.0	2.5	250
082052011401	Black	M5	14.0	20.0	7.0	10.0	2.5	250
082052611301	White	M5	14.0	25.0	7.0	15.0	2.5	250
082052611401	Black	M5	14.0	25.0	7.0	15.0	2.5	250
082053011301	White	M5	14.0	30.0	7.0	20.0	2.5	250
082054011301	White	M5	14.0	40.0	7.0	30.0	2.5	250
082054011401	Black	M5	14.0	40.0	7.0	30.0	2.5	250
082061050001	White	M6	16.0	10.0	8.0	-	3.0	500
082061059901	Black	M6	16.0	10.0	8.0	-	3.0	500
082061850001	White	M6	16.0	18.0	8.0	8.0	3.0	500
082061859901	Black	M6	16.0	18.0	8.0	8.0	3.0	500
082062550001	White	M6	16.0	25.0	8.0	8.0	3.0	500
082062559901	Black	M6	16.0	25.0	8.0	8.0	3.0	500
082063050001	White	M6	16.0	30.0	8.0	8.0	3.0	500
082063059901	Black	M6	16.0	30.0	8.0	8.0	3.0	500
082063650001	White	M6	16.0	36.0	8.0	8.0	3.0	500
082063659901	Black	M6	16.0	36.0	8.0	8.0	3.0	500
082063950001	White	M6	16.0	39.0	8.0	8.0	3.0	250
082063959901	Black	M6	16.0	39.0	8.0	8.0	3.0	250
082064850001	White	M6	16.0	48.0	8.0	8.0	3.0	250
082064859901	Black	M6	16.0	48.0	8.0	8.0	3.0	250

Binder Screws

SR 1999

HDPE



Part Number	Colour	Female Part		Male Part		Head		Std Pack Qty
		d1	H	Size	H1	D	h	
	Black	5.0	5.0	M4	5.0	12.0	2.6	1000
	White	5.0	5.0	M4	5.0	12.0	2.6	1000
	Black	5.0	6.0	M4	5.0	12.0	2.6	1000
	White	5.0	6.0	M4	5.0	12.0	2.6	1000
	Black	5.0	8.0	M4	5.0	12.0	2.6	1000
	White	5.0	8.0	M4	5.0	12.0	2.6	1000
	Black	5.0	10.0	M4	10.0	12.0	2.6	1000
	White	5.0	10.0	M4	10.0	12.0	2.6	1000
	Black	5.0	12.0	M4	10.0	12.0	2.6	1000
	White	5.0	12.0	M4	10.0	12.0	2.6	1000
	Black	5.0	15.0	M4	10.0	12.0	2.6	1000
	White	5.0	15.0	M4	10.0	12.0	2.6	1000
	Black	5.0	20.0	M4	10.0	12.0	2.6	1000
	White	5.0	20.0	M4	10.0	12.0	2.6	1000
	Black	5.0	25.0	M4	10.0	12.0	2.6	1000
	White	5.0	25.0	M4	10.0	12.0	2.6	1000

Part Number	Colour	Female Part		Male Part		Head		Std Pack Qty
		d1	H	Size	H1	D	h	
	Black	5.0	30.0	M4	10.0	12.0	2.6	1000
	White	5.0	30.0	M4	10.0	12.0	2.6	1000
	Black	5.0	35.0	M4	10.0	12.0	2.6	1000
	White	5.0	35.0	M4	10.0	12.0	2.6	1000
	Black	5.0	40.0	M4	10.0	12.0	2.6	1000
	White	5.0	40.0	M4	10.0	12.0	2.6	1000
	Black	5.0	50.0	M4	10.0	12.0	2.6	1000
	White	5.0	50.0	M4	10.0	12.0	2.6	1000
	Black	5.0	60.0	M4	10.0	12.0	2.6	1000
	White	5.0	60.0	M4	10.0	12.0	2.6	1000
	Black	5.0	80.0	M4	10.0	12.0	2.6	1000
	White	5.0	80.0	M4	10.0	12.0	2.6	1000
	Black	5.0	90.0	M4	10.0	12.0	2.6	1000
	White	5.0	90.0	M4	10.0	12.0	2.6	1000

Snap Fasteners

SR 1990

White Polyethylene

- Ideal for fixing corrugated panels



Female Washer



Male Clip

30mm Head Diameter

Part Number		Male Clip Dimensions (mm)							Female Washer Dimensions (mm)				Std Pack Qty
Black	White	Hole Diameter	Panel Thickness	d	l	h	D	l_1	h_1	d_1	D_1	l_2	
8502160901VR	8502160908VR	8 - 20	6 - 10	6	12	-	30	3	6	8	30	3	1000
8502260901VR	8502260908VR	8 - 20	6 - 22	6	26	4	30	3	6	8	30	3	1000
8502440901VR	8502440908VR	8 - 20	20 - 40	6	44	14	30	3	6	8	30	3	1000
8501160901VR	8501160908VR	8 - 20	12 - 18	6	12	-	30	3	12	8	30	3	1000
8501260901VR	8501260908VR	8 - 20	12 - 30	6	26	4	30	3	12	8	30	3	1000
8501440901VR	8501440908VR	8 - 20	12 - 46	6	44	14	30	3	12	8	30	3	1000

15mm Head Diameter

Part Number		Male Clip Dimensions (mm)					Female Washer Dimensions (mm)		Std Pack Qty
Black	White	Hole Diameter	Panel Thickness	l	D	l_1	D_1	l_2	
8501150901VR	8501150908VR	5 - 10	0 - 8	15	15	2	15	3.5	1000
8501220901VR	8501220908VR	5 - 10	0 - 16	22	15	2	15	3.5	1000

NB: One pack contains 1000 each of clips and washers.

Push Clips

SR 1991

White Nylon 6.6



Part Number		Dimensions (mm)				Std Pack Qty
White	Black	Hole Diameter	Maximum Panel Thickness	D	h_1	
8201020008VR	8201020001VR	6.0	2.2	10.0	0.8	1000
8201030008VR	8201030001VR	6.0	3.2	10.0	0.8	1000
8201040008VR	8201040001VR	6.0	4.2	10.0	0.8	1000
8201050008VR	8201050001VR	6.0	5.2	10.0	0.8	1000

NB: Pack quantity includes 1000 each of male and female parts.

Viking Screws

SR 1838

Clear Polycarbonate

- Fast and easy push on panel fastener
- Screw to tighten

Part Number	Dimensions (mm)		Std Pack Qty
	Head Diameter	Length	
464972	12.5	12.0	100
464973	12.5	20.0	100
464974	12.5	25.0	100

NB: Pack quantity includes 100 each of nut and screw.