

STANDARDNI TRANSPORTNI VALJČKI
Proge, trakovi, letve



carrier rollers // standard // standardni plastični valjčki

z vzmeteno osovino
premeri 20, 30, 40 in 50mm



| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller lengthmm | Installation length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|--------------------|------------------------------|----------------------|
| KUT50-20x1,5-KB-A8-FA-EL=200 Ident No.: 0034500 | 20 | plastic blue | 8 | spring axle | 195 | 200 | 220 |
| KUT50-20x1,5-KB-A8-FA-EL=300 Ident No.: 0034501 | 20 | plastic blue | 8 | spring axle | 295 | 300 | 320 |
| KUT50-20x1,5-KB-A8-FA-EL=400 Ident No.: 0034502 | 20 | plastic blue | 8 | spring axle | 395 | 400 | 420 |
| KUT50-20x1,5-KB-A8-FA-EL=500 Ident No.: 0034503 | 20 | plastic blue | 8 | spring axle | 495 | 500 | 520 |



| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length mm | Installation length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|------------------------|------------------------------|----------------------|
| KUT50-30x1,8-KB-A8-FA-EL=200 Ident No.: 0034504 | 30 | plastic blue | 8 | spring axle | 195 | 200 | 220 |
| KUT50-30x1,8-KB-A8-FA-EL=300 Ident No.: 0034505 | 30 | plastic blue | 8 | spring axle | 295 | 300 | 320 |
| KUT50-30x1,8-KB-A8-FA-EL=400 Ident No.: 0034506 | 30 | plastic blue | 8 | spring axle | 395 | 400 | 420 |
| KUT50-30x1,8-KB-A8-FA-EL=500 Ident No.: 0034507 | 30 | plastic blue | 8 | spring axle | 495 | 500 | 520 |



| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length mm | Installation length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|------------------------|------------------------------|----------------------|
| KUT50-40x2,3-KB-A8-FA-EL=200 Ident No.: 0034508 | 40 | plastic blue | 8 | spring axle | 195 | 200 | 220 |
| KUT50-40x2,3-KB-A8-FA-EL=300 Ident No.: 0034509 | 40 | plastic blue | 8 | spring axle | 295 | 300 | 320 |
| KUT50-40x2,3-KB-A8-FA-EL=400 Ident No.: 0034510 | 40 | plastic blue | 8 | spring axle | 395 | 400 | 420 |
| KUT50-40x2,3-KB-A8-FA-EL=500 Ident No.: 0034511 | 40 | plastic blue | 8 | spring axle | 495 | 500 | 520 |



| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length mm | Installation length mm | axle length mm |
|---|--------------|---------------------|--------------|-----------------------|------------------------|------------------------------|----------------------|
| KUT100-50x2,8-KB-A8-FA-EL=200 Ident No.: 0034512 | 50 | plastic blue | 8 | spring axle | 193 | 200 | 220 |
| KUT100-50x2,8-KB-A8-FA-EL=300 Ident No.: 0034513 | 50 | plastic blue | 8 | spring axle | 293 | 300 | 320 |
| KUT100-50x2,8-KB-A8-FA-EL=400 Ident No.: 0034514 | 50 | plastic blue | 8 | spring axle | 393 | 400 | 420 |
| KUT100-50x2,8-KB-A8-FA-EL=500 Ident No.: 0034515 | 50 | plastic blue | 8 | spring axle | 493 | 500 | 520 |
| KUT100-50x2,8-KB-A8-FA-EL=600 Ident No.: 0034516 | 50 | plastic blue | 8 | spring axle | 593 | 600 | 620 |

carrier rollers // standard // standardni kovinski valjčki

osovina z notranjim navojem
premeri 50, 60 in 80 mm

METALIKA
COMPONENTS FOR INDUSTRY **KACIN**
www.metalika-kacin.com

| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length- mm | Installation length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|-------------------------|------------------------------|----------------------|
| TRG-50x1,5-STI-A12-IGM8-EL=200 Ident No.: 0022776 | 50 | steel galvanized | 12 | internal thread | 194 | 200 | 200 |
| TRG-50x1,5-STI-A12-IGM8-EL=300 Ident No.: 0022777 | 50 | steel galvanized | 12 | internal thread | 294 | 300 | 300 |
| TRG-50x1,5-STI-A12-IGM8-EL=400 Ident No.: 0022778 | 50 | steel galvanized | 12 | internal thread | 394 | 400 | 400 |
| TRG-50x1,5-STI-A12-IGM8-EL=500 Ident No.: 0022779 | 50 | steel galvanized | 12 | internal thread | 494 | 500 | 500 |
| TRG-50x1,5-STI-A12-IGM8-EL=600 Ident No.: 0022780 | 50 | steel galvanized | 12 | internal thread | 594 | 600 | 600 |



03

| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length mm | Installation length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|------------------------|------------------------------|----------------------|
| TRG-60x2-STI-A12-IGM8-EL=200 Ident No.: 0022781 | 60 | steel galvanized | 12 | internal thread | 194 | 200 | 200 |
| TRG-60x2-STI-A12-IGM8-EL=300 Ident No.: 0022782 | 60 | steel galvanized | 12 | internal thread | 294 | 300 | 300 |
| TRG-60x2-STI-A12-IGM8-EL=400 Ident No.: 0022783 | 60 | steel galvanized | 12 | internal thread | 394 | 400 | 400 |
| TRG-60x2-STI-A12-IGM8-EL=500 Ident No.: 0022784 | 60 | steel galvanized | 12 | internal thread | 494 | 500 | 500 |
| TRG-60x2-STI-A12-IGM8-EL=600 Ident No.: 0022785 | 60 | steel galvanized | 12 | internal thread | 594 | 600 | 600 |



| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length mm | Installation length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|------------------------|------------------------------|----------------------|
| TRG-80x2-STI-A12-IGM8-EL=200 Ident No.: 0022786 | 80 | steel galvanized | 12 | internal thread | 190 | 200 | 200 |
| TRG-80x2-STI-A12-IGM8-EL=300 Ident No.: 0022787 | 80 | steel galvanized | 12 | internal thread | 290 | 300 | 300 |
| TRG-80x2-STI-A12-IGM8-EL=400 Ident No.: 0022788 | 80 | steel galvanized | 12 | internal thread | 390 | 400 | 400 |
| TRG-80x2-STI-A12-IGM8-EL=500 Ident No.: 0022789 | 80 | steel galvanized | 12 | internal thread | 490 | 500 | 500 |
| TRG-80x2-STI-A12-IGM8-EL=600 Ident No.: 0022790 | 80 | steel galvanized | 12 | internal thread | 590 | 600 | 600 |
| TRG-80x2-STI-A12-IGM8-EL=700 Ident No.: 0022791 | 80 | steel galvanized | 12 | internal thread | 790 | 800 | 800 |



KATALOG ARTIKLOV
www.metalika-kacin.com

TO-01

TORWEGGE



**"All carrier rollers are available
directly from stock"**

carrier rollers // standard // standardni valjčki

osovina z nastavkom za ključ SW
premeri 63,5, 89 in 108 mm

METALIKA
COMPONENTS FOR INDUSTRY **KACIN**
www.metalika-kacin.com



| carrier rollers | tube-Ø mm | material of tube | axle-Ø mm | axle end finishing | roller length- mm | Installati- on length mm | axle length mm |
|--|--------------|---------------------|--------------|-----------------------|-------------------------|--------------------------------|----------------------|
| TRST63,5-20-200 Ident No.: 0025876 | 63.5 | steel | 20 | spanner flat | 200 | 206 | 226 |
| TRST63,5-20-250 Ident No.: 0025877 | 63.5 | steel | 20 | spanner flat | 250 | 256 | 276 |
| TRST63,5-20-315 Ident No.: 0025878 | 63.5 | steel | 20 | spanner flat | 315 | 321 | 341 |
| TRST63,5-20-380 Ident No.: 0025879 | 63.5 | steel | 20 | spanner flat | 380 | 386 | 406 |
| TRST63,5-20-465 Ident No.: 0025880 | 63.5 | steel | 20 | spanner flat | 465 | 471 | 491 |
| TRST63,5-20-500 Ident No.: 0025881 | 63.5 | steel | 20 | spanner flat | 500 | 506 | 532 |
| TRST63,5-20-600 Ident No.: 0025883 | 63.5 | steel | 20 | spanner flat | 600 | 606 | 632 |
| TRST63,5-20-750 Ident No.: 0025884 | 63.5 | steel | 20 | spanner flat | 750 | 756 | 782 |
| TRST63,5-20-950 Ident No.: 0025885 | 63.5 | steel | 20 | spanner flat | 950 | 956 | 982 |
| TRST63,5-20-1150 Ident No.: 0025875 | 63.5 | steel | 20 | spanner flat | 1,150 | 1,156 | 1,182 |
| TRST89-20-200 Ident No.: 0025887 | 89 | steel | 20 | spanner flat | 200 | 206 | 226 |
| TRST89-20-250 Ident No.: 0025888 | 89 | steel | 20 | spanner flat | 250 | 256 | 276 |
| TRST89-20-315 Ident No.: 0025889 | 89 | steel | 20 | spanner flat | 315 | 321 | 341 |
| TRST89-20-380 Ident No.: 0025890 | 89 | steel | 20 | spanner flat | 380 | 386 | 406 |
| TRST89-20-465 Ident No.: 0025891 | 89 | steel | 20 | spanner flat | 465 | 471 | 491 |
| TRST89-20-500 Ident No.: 0025892 | 89 | steel | 20 | spanner flat | 500 | 506 | 532 |
| TRST89-20-530 Ident No.: 0025894 | 89 | steel | 20 | spanner flat | 530 | 536 | 556 |
| TRST89-20-600 Ident No.: 0025895 | 89 | steel | 20 | spanner flat | 600 | 606 | 632 |
| TRST89-20-750 Ident No.: 0025900 | 89 | steel | 20 | spanner flat | 750 | 756 | 782 |
| TRST89-20-950 Ident No.: 0025901 | 89 | steel | 20 | spanner flat | 950 | 956 | 982 |
| TRST89-20-1150 Ident No.: 0025886 | 89 | steel | 20 | spanner flat | 1,150 | 1,156 | 1,182 |
| TRST108-20-200 Ident No.: 0025866 | 108 | steel | 20 | spanner flat | 200 | 206 | 226 |
| TRST108-20-250 Ident No.: 0025867 | 108 | steel | 20 | spanner flat | 250 | 256 | 276 |

TORWEGGE





METALIKA | Slovenija

KACIN JOŽICA s.p. METALIKA
Bedrih 27
SI-4226 ŽIRI

Biro / Skladišče ŽIRI
Račeva 8
SI-4226 ŽIRI

T (+386) 04 / 510 53 60
M (+386) 041 / 694 339
E info@metalika-kacin.com



METALIKA | Hrvatska

KACIN METALIKA d.o.o.
Radićeva 18
HR-51000 RIJEKA

T (+385) 051 / 213 060
M (+385) 091 / 58 70 744
E hrvatska@metalika-kacin.com



METALIKA | Srbija

METALIKA KACIN d.o.o.
Kir Janjina 2
RS-11253 SREMČICA

T (+381) 011 / 25 21 756
M (+381) 062 / 311 768
E srbija@metalika-kacin.com

